



# Catalog



[www.westparts.com](http://www.westparts.com)





## Westparts B.V. Since 1992

Specialized in cutting, pruning & fastening tools for 30 years



A true family business and specialized in cutting, pruning and fastening tools for 30 years. Through an extensive network, own import and production, an eye on the future and a considerable stock, our golden team, with a lot of knowledge about the product and the market, provides a very solid and trusted service.

Visit our website for  
all detailed product information  
[www.westparts.com](http://www.westparts.com)



### Shears

Harvesting shears  
Pruning shears  
Premium cleaners  
Sharpening tools  
Universal holsters  
Universal shears  
Wire cutters  
Handy scissors  
Budget Line scissors  
Utility scissors  
Craft shears & florist's scissors  
Grass shears  
Hedge shears  
Loppers  
Long reach loppers

### Rose strippers

### Saws

Pruning saws with wooden handle  
Pruning saws with plastic handle  
Foldable pruning saws  
Hack saws

### Pruning at heights

Long reach pruners  
Telescopic long reach pruners  
Telescopic pole saws  
Pruning saws for poles  
Telescopic poles  
ARS accessories  
Pruning elements

### Axes

### Gift sets

### 6

6 - 7  
8 - 11  
12  
13  
13  
14  
14  
15  
15  
16  
17 - 19  
19  
20 - 21  
22 - 23  
23

### 24

### 25

25  
26 - 28  
29  
37

### 30

30 - 31  
32 - 33  
34 - 35  
35  
36 - 37  
38  
39

### 40

### 41

### Knives

Strip steel knives  
Knives with plastic handle  
Victorinox knives  
Knives with wooden handle  
Pocket knives  
Oculate & copulate  
Disinfection knives and leaf cutters  
Utility knives  
Tomato knives  
Filleting knives  
Fish knives & fish scissors  
Gutting knives  
Butcher & chef knives  
Special knives  
Hollowing knives  
Spinach knives  
Sharpening steel  
Magnetic strips

### Fastening tools

Staplers  
Staple guns  
Cable staple guns  
Hammer tackers  
Electric tackers  
Pneumatic tackers  
Fence pliers  
Punch pliers  
Riveters  
Hot-air guns  
Glue and glue guns  
Staples  
Nails  
Eyelets & grommets  
Rivets  
Hogrings

### Garden sprayers

### Terms and conditions

### 44

44 - 45  
46 - 48  
49  
50 - 54  
54 - 56  
56  
57  
58  
58  
59  
60  
61  
62 - 63  
62  
63  
64  
65  
65

### 66

66  
67 - 68  
68  
69  
69  
70  
70  
71  
71  
71  
72 - 73  
74 - 78  
79 - 80  
80  
81  
82 - 83

### 84

### 85



# Specialist in cutting, pruning and fastening tools

## Hedge trimmers

The extensive range of hedge trimmers of the brands ARS and Metallo offer a perfect choice for every application. Craftsmanship requires specialist tools, comfortable handles and razor-sharp knives for a clean cutting result. Westparts is the answer to your need for a top product!

## Loppers

Loppers made by ARS and Metallo guarantee the success of any pruning job. While Metallo offers, among other things, the “Gear Power” and “Silver-Line” loppers, ARS offers a wide range in the upper segment. The choice is yours or your customer’s.

## Telescopic poles and pole saws

If you can’t get high enough with the telescopic loppers, the telescopic poles and pruning elements are the outcome. These can be used to reach heights up to approximately 6 metres in height. By using only high quality and lightweight material, even pruning at height can be done effortless.

## Germo-Products

This specially developed line is designed to follow the strict guidelines set for the harvesting of various crops. There is the Germo-Knife, where liquid in the handle moistens the blade to help prevent cross-contamination. And there is the Leaf-Cutter, which removes excess leaves from e.g. tomato plants without damaging the fruit.

## Knives

Westparts carries an impressive line of knives from brands such as Metallo and Friedrich Herder, with both plastic and wooden handles. The knives are traditionally produced according to the world famous principle, which finds its foundation in Solingen.

## Pruning shears

Ergonomics is a matter of course for ARS and Metallo pruning shears. A complete range of pruners for all types of cutting for the professional user and the demanding consumer. By using only high quality materials ARS and Metallo excel in its quality and durability. A responsible choice with a 10-year warranty on almost all products.

## Grass shears

These shears are available in different sizes for a wide range of applications. Due to the friction-reducing coating, cutting with Metallo has become an easy job. The telescopic grass shears and the (telescopic) lawn edge trimmers can be adjusted to the desired length. This reduces the risk of complaints and injuries during use.

## Pruning saws

A wide range of pruning saws of very high quality. A class product, equipped with innovative tooth-setting and friction-reducing ground blades. ARS and Metallo work exclusively with the “PULL SAW” method, whereby the saw blade always remains straight and can do its work optimally.

## Scissors

The various ARS and Metallo shears are available in different models: harvesting pruner, grape shears, utility scissors, all purpose shears and household shears. Westparts has the right model for every user. The scissors are suitable for many different applications, so with this balanced line you can always find the right fit.



ARS 310-BL  
harvesting shears



"Pull Saw"  
pruning saw


















## Fastening tools

A wide range of Rapid products including staple guns, hand tackers, electric tackers and glue guns for the do-it-yourself-er or the professional.


## Staples & nails

For every staple gun, pliers or job there is a perfect staple or nail. Varying from copper, aluminium or stainless steel, there are various types available. Please consult the product information of your staple gun or pliers for the right type of staple or nail.

## Product icons

<b>A</b> Aluminum	 Taper ground
<b>S</b> Stainless steel	 Curvature ground
<b>C</b> Carbon steel	 Forged model
<b>H</b> Hard chrome plated	 Impulse hardened
<b>N</b> Nickel plated	 Super Turbocut
<b>F</b> Fluorocarbon	 Turbocut
<b>T</b> Teflon coated	 Tooth thickness
<b>B</b> Black finished	 Tooth setting
<b>SK5</b> SK5 steel	 Packaging
<b>HACCP</b> HACCP product	 Length (mm)
 Type staple/nail	 Weight (gram)
 Max. cut capacity (mm)	 KWF-profi certification
 Spare blade	 Suitable for hand size
 Spare parts available	




**ARS 300L-DX**

110 190 20/200

Harvesting shears 190 mm, stainless steel, straight, red



**ARS 300L-BL**

110 190 20/200

Harvesting shears 190 mm, straight, blue



**ARS 300L**

110 190 20/200

Harvesting shears 190 mm, straight, red



**ARS 300SS-BL**

100 170 20/200

Harvesting shears 170 mm, straight, blue



**ARS 300SS**

100 170 20/200


Harvesting shears 170 mm, straight, red



**ARS 310-D**

90 160 20/200

Harvesting shears 160 mm, extra curved, red



**ARS 310-T**

95 160 20/200


Harvesting shears 160 mm, straight, red



**ARS 310-BL**

90 160 20/200

Harvesting shears 160 mm, curved, blue



**ARS 310DX**

100 170 20/200

Harvesting shears 170 mm, stainless steel, curved, red



**ARS 310**

90 160 20/200

Harvesting shears 160 mm, curved, red



**ARS 320B-M**

55 155 20/200

Harvesting shears 155 mm, curved, white



**ARS 320B-T**

55 155 20/200

Harvesting shears 155 mm, straight, white



**ARS 320DX-M**

55 155 20/200


Harvesting shears 155 mm, curved, orange



**ARS 320DX-T**

55 155 20/200


Harvesting shears 155 mm, stainless steel, orange



**ARS SE-45**

85 183 10/100

Harvesting shears 183 mm, stainless steel, red



**Friedrich Herder F1445**

55 145 12/48

Druivenschaar 145 mm, black



**Metallo K-0035**

98 185 20/100

Harvesting shears 185 mm, orange



**Metallo K-0040**

83 186 20/100

Harvesting shears 186 mm, straight, orange

## Harvesting shears

The fruit and vegetable shears are available in various designs in red, orange or the unique HACCP blue. Whether you need a curved blade, a pointed tip, a stainless steel version or a special grape scissor, it is all there.





# High quality Japanese pruning shears

Professional, lightweight and above all ergonomic pruning shears



Also for left-handed use

**ARS VA-7Z**

VA-7-1/VA-7-2/VA-7-3

215 180 5/50

22

F C

Pruning shears 180 mm, anvil, red

Also for left-handed use

**ARS VA-8Z**

VA-8-1/VA-8-2/VA-8-3

235 205 5/50

25

F C

Pruning shears 205 mm, anvil, red

**ARS 120DX**

160 195 5/50

22

H C

Pruning shears 195 mm, red

**ARS 120EU**

225 210 5/50

22

H C

Pruning shears 210 mm, red

**ARS 120EU-R**

230 210 5/50

10

H C

Rose pruning shears 210 mm, red

**ARS VS-7XZ**

VS-7X-1/VS-7X-2/VS-7X-3

210 180 5/50

19

H C

Pruning shears 180 mm, red

**ARS VS-8XZ**

VS-8X-1/VS-8X-2/VS-8X-3

230 200 5/50

22

H C

Pruning shears 200 mm, red

**ARS VS-9XZ**

VS-9X-1/VS-9X-2/VS-9X-3

310 227 5/50

25

H C

Pruning shears 227 mm, red

**ARS 140DX**

150 184 5/50

12

H C

Pruning shears 184 mm, red

**ARS 140L-DX**

157 200 10/100

12

H C

Pruning shears 200 mm, white

**ARS CB-8**

CB-8-1/CB-8-2

210 205 5/50

22

N C

Pruning shears 205 mm, red/black

**ARS CB-9**

CB-9-1/CB-9-2

230 225 5/50

25

N C

Pruning shears 225 mm, red/black

**ARS VS-7XR**

VS-7X-1/VS-7X-2/VS-7X-3

245 180 5/50

19

H C

Pruning shears 180 mm, rotating handle, red/black

**ARS VS-8XR**

VS-8X-1/VS-8X-2/VS-8X-3

265 200 5/50

22

H C

Pruning shears 200 mm, rotating handle, red/black

**ARS VS-9XR**

VS-9X-1/VS-9X-2/VS-9X-3

310 227 5/50

25

H C

Pruning shears 227 mm, rotating handle, red/black

**ARS 130DX/G/P/W/Y/V**

150 184 5/50/100

19

H C

Pruning shears 184 mm, multiple colors



## ARS, very well tested!

The German Forestry Commission (KWF) has tested 28 ARS products and awarded all 28 products the coveted KWF certification.

These are pruners, hand saws and pole saws that have been thoroughly tested in German forestry. In this catalogue you will find all these products accompanied by the certification.

We invite you to use these products in person and convince yourself of the quality of ARS.



## Metallo pruners



**Metallo K-0050**



Pruning shears 205 mm, red/grey



**Metallo K-0060**



Pruning shears 205 mm, straight, red/grey



**Metallo K-0080**



Pruning shears 197 mm, anvil, red/grey



**Metallo K-0100**



Pruning shears 180 mm, small model, blue/grey



**Metallo K-0200**



Pruning shears 200 mm, lever mechanism, blue/grey



**Metallo K-0300**



Pruning shears 210 mm, red



**Metallo K-0310**



Pruning shears 230 mm, red



**Metallo K-0400**



Pruning shears 200 mm, red



**Metallo K-0500**



Pruning shears 200 mm, red




**Metallo K-0550**



Pruning shears 210 mm, red, anvil



**Metallo K-0600**



Pruning shears 215 mm, ergonomic, red



**Metallo K-0650**



Pruning shears 215 mm, rotating handle, red




**Metallo K-0700**



Pruning shears 215 mm, left-handed, red




**Metallo K-0750**



Rose pruning shears 215 mm, orange



**Metallo K-0900**



Pruning shears 215 mm, heavy duty, red




**Metallo K-1010**



Pruning shears 205 mm, red




**Metallo K-1015**



Pruning shears 225 mm, red



**Metallo K-1020**



Pruning shears 190 mm, red




**Metallo K-1025**



Pruning shears 220 mm, red



**Metallo K-1050**



Pruning shears 215 mm, gesmeed, red

**KEIZERSKROON METALLO**

View all Metallo pruning shears on [www.metallotools.com](http://www.metallotools.com)





# The **NEW** GO-1 en GO-5!

Premium Blade Cleaner

New! 500ml bottle

## KEEP YOUR TOOLS CLEAN



ARS **9F-10**

50 220 20/200

Saw file 220 mm, wood



Fiskars **FISK1023811**

95 227 6

Essential Roll-Sharp, knife sharpener



Metallo **SW0010**

356 150 6/48

Wetsteen 150 mm, fine/medium



Metallo **SW0100**

30 89 6/144

Sharpening egg Aladdin



Metallo **SW0110**

15 124 12/144

Sharpener, handmodel, blue



Metallo **SW0140**

49 150 10/100

Sharpener Sharky allround, blue



Metallo **SW0150**

140 60 12/144

Grinder table model, with suction cup

## Universal holsters



Blade Cleaner **GO-1**

121 12/72

Premium Blade Cleaner, 100ml



Blade Cleaner **GO-5**

552 6

Premium Blade Cleaner, 500ml

## Discover this premium blade cleaner

In order to optimise the service life of your product, it is important to clean each tool after use and store it in a dry place. We recommend GO for cleaning pruning tools.

When pruning trees, shrubs and plants, juices are released which usually leave a stubborn sticky layer on the blades of saws and shears. GO is a powerful cleaning agent for effectively removing such deposits from your pruning tools.

Cleaning your products makes your work easier and leaves a clean and beautiful wound on the pruned work. Clean pruning tools reduce the chance of cross contamination. Clean your product in 15 sec!



Metallo **959140**

44 150 6/24

Leather holster, with clip, unifit



Metallo **959145**

106 235 6/24

Leather holster, with clip, unifit



ARS **SH-VSZ**

109 230 5/50

Leather holster, universal



**Löwe L01101**

270 210 12

Pruning shears, 210 mm, anvil

**Löwe L05104**

190 160 5/50

Pruning shears 160 mm, anvil, orange

**Löwe L09104**

230 210 12

Pruning shears, 210 mm, red

**Löwe L01105**

290 200 12

Industrial shears, 200 mm, anvil, orange

**Löwe L03101**

335 210 50

Mitre shears, 210 mm, 45°, anvil

**Löwe L03104**

335 210 12

Mitre shear, 210 mm, 45°, anvil, orange

## Wire cutters

Fully forged and plastic-coated handles. The cutting jaw is extra hardened to allow the cutting of small steel blades. The blades are extra hardened to allow cutting of small steel wires. Indispensable for a florist!

**Metallo 964054**

96 190 6/48

Wire cutters 190 mm, blue

**ARS 316**

105 170 10/100

Wire cutters 170 mm, red

**Metallo 973072**

70 215 6/48

Scissors 215 mm, stainless steel, black/blue

**Metallo 973070**

56 190 6/48

Scissors 190 mm, stainless steel, black/blue

**Metallo 973074**

105 265 6/48

Scissors 265 mm, softgrip, stainless steel, black/blue

**Metallo 973060**

52 180 6/48

Scissors 180 mm, plastic, stainless steel, black

**Metallo 973062**

60 215 6/48

Scissors 215 mm, plastic, stainless steel, black

**Metallo 985135**

150 220 6/48

Fabric shears 220 mm, serrated, black/green

**ARS 330HN-G**

60 160 10/100

Handi-craft scissors 160 mm, green

**ARS 330HN-V**

60 160 10/100

Handi-craft scissors 160 mm, violet

**ARS 330HN-W**

60 160 10/100

Handi-craft scissors 160 mm, white

**ARS 330HN-P**

60 160 10/100

Handi-craft scissors 160 mm, pink

**ARS 330HN-R**

60 160 10/100

Handi-craft scissors 160 mm, red

**ARS 330HN-Y**

60 160 10/100

Handi-craft scissors 160 mm, yellow

## Budget-Line

These simple pruners are very suitable for light pruning work in and around the house. Both shears have hardened carbon blades with a teflon coating.

**Metallo 985040**

122 180 6/48

Pruning shears 180 mm, red, Budget-Line

**Metallo 985060**

203 210 6/48


Pruning shears 210 mm, red, Budget-Line





## Hobby scissors

The hobby scissors are suitable for cutting plastic, wire or other soft to hard material. The scissors are available separately or in sets for the frequent user.



**Metallo 985005** (Set van 2 hobby scissors) 12/96

**Metallo 985006** (Set van 6 hobby scissors) 4/32

60 150 S


Set hobby scissors 150 mm, stainless steel, with lock



**Metallo 985010**

64 150 12/24/144 S

Hobby scissors 150 mm, with lock and cover, stainless steel, orange



**Metallo 985020**

116 190 6/48 S

Hobby scissors 190 mm, with lock and cord, stainless steel, blue




**Metallo 985021**

96 190 6/48 S

Hobby scissors 190 mm, with lock, stainless steel, orange



**ARS 340H-T**

70 190 10/100 H C

Handi-craft scissors 190 mm, red



**ARS 350-M**

60 158 10/100 H C

Handi-craft scissors 158 mm, black



**ARS 350-T**

60 158 10/100 H C


Handi-craft scissors 158 mm, red



**ARS 360-M**

30 125 10/100 H C


Handi-craft scissors 125 mm, blue/green



**ARS 370**

70 160 6/72 H C


Industrial shears 160 mm, black



**ARS 380**

80 195 10/100 H C


Handi-craft scissors 195 mm, red



**ARS 390**

62 160 10/100 H C

Scissors heavy duty 160 mm, bruin



**ARS 526-A**

526-A-1

240 260 5/50 H C

Handi-craft scissors 260 mm, black



**ARS 526-H**

260 260 6


Handi-craft scissors 260 mm, SUPER, black

Cuts through aramid at least 500,000x

## Florist scissors

These ARS florists scissors are made of hardened stainless steel. Extra strong and ergonomic and equipped with damper.

An absolute must for the real florist!




**ARS FL-18**

110 180 10/50 S

Florist scissors 180 mm, stainless steel, red







Mundial **MU490-10**

390255

12

N

C

Tailors scissors 255 mm, black

For left-handed use



Mundial **MU493-10**

136250

12

N

C

Fabric shears 250 mm, black, left



Mundial **MU660-SR-8**


104220

12

S

Scissors Mundial 220 mm, stainless steel, black

For left-handed use



Mundial **MU661-SR-8.5**

110220

12

S

Scissors Mundial 220 mm, stainless steel, black, left




Mundial **MU690-SR-9**

124240

12

S

Scissors Mundial 240 mm, stainless steel, black



Kretzer **RS0030**

38130

10

S

Scissors Finny 130 mm, stainless steel, blue/black




Kretzer **RS0040**

45150

10

S

Scissors Finny 150 mm, stainless steel, blue/black




Kretzer **RS0050**

100200

10

S

Scissors Finny 200 mm, stainless steel, blue/black




Kretzer **RS0060**

240250

5

S

Scissors Finny 250 mm, stainless steel, blue/black




Kretzer **RS0065**

117250

10

S

Ribbon Shears Finny 250 mm, black/red




Kretzer **RS0080**

242250

5

S

Fabric shears Finny 250 mm, stainless steel, red/black



Mundial **MU1864-5.5**

38130

12

S

Confection/sewing scissors 130 mm, red/black



Aramid scissors

These SUPER mini scissors can cut aramid or other very strong textiles. The cutting edge has microscopic serration for very precise cutting because the material cannot slip away. The compact ARS mini shears are very light and easy to use.



ARS **NH-11**


40110

6

H

C

Industrial shears NH-11, red



Friedrich Herder **F1118**

100170

12

C

Rubber shears 170 mm, curved, red



Fiskars **FISK111040**

83210

5/100

C

Universal shears, 210 mm

Grass shears

Use grass shears to trim the difficult spots on your lawn. You can also use the grass shears to trim the edges of your lawn.



Metallo **K-1850**

1785630-1040

6

H

C

T

Lawn edging shears 630-1040 mm, telescopic, green/black



Metallo **K-1900**

260290

6/24

S

Sheep shears 290 mm, stainless steel, wood





Metallo **K-1660**

370360

6/24

C

T

Lawn edging shears 360 mm, rotating 180 degrees, green/black



Metallo **K-1800**

1785740-1150

6

H

C

T

P

Lawn shears 740-1150 mm, telescopic, green/black





**ARS K-800**

ARS K-800-1

650 500 5/20

C N

Hedge trimmer 500 mm, red

**ARS K-900Z**

ARS K-900Z-1

980 720-1050 5/20

C N

Telescopic

Telescopic hedge trimmer, 720-1050 mm, red/grey

**ARS KR-1000**

ARS KR-1000-1

780 653 5/20

H C

Hedge trimmer 650 mm, red/grey

**ARS KR-1000L**

ARS KR-1000L-1

840 750 5/20

H C

Hedge trimmer 750 mm, red/grey

**Metallo K-3100**

Metallo K-3100-1

1140 590 6/12

H C T

With notch for branches

Corrugated

Hedge trimmer 590 mm, corrugated, with notch for branches, green/black

**Metallo K-3200**

Metallo K-3200-1

735 650-850 6/12

H C T

Telescopic

Corrugated

Telescopic hedge trimmer 650-850 mm, corrugated, green/black

## Professionele Silver-Line



**Metallo K-2700**

Metallo K-2700-1

815 580 6/12

H C A

Hedge trimmer 580 mm, grey/black

**Metallo K-2750**

Metallo K-2750-1

905 745 6/12

H C A

Hedge trimmer 750 mm, grey/black

**Metallo K-2750L**

Metallo K-2750L-1

970 800 6/12

H C A

Hedge trimmer 800 mm, grey/black

## Classic hedge trimmers



**Metallo K-3700**

Metallo K-3700-1

1040 540 6/12

H C B

Microtoothting

Hedge trimmer 540 mm, microtoothting, wood

**Metallo K-3600**

Metallo K-3600-1

1010 540 6/12

H C T

Corrugated

Hedge trimmer 540 mm, corrugated, wood

## Classic hedge trimmers

Traditional hedge trimmer with corrugated or microtoothting and a classic wooden handle. With hard-chromed and teflon coated blades, made from high-quality SK5 steel. The shears are equipped with a hard damper to help prevent wrist injuries.





ARS LP-40

LP-40-1/LP-40-2

50



1720

800

10

C

F



Lopper 800 mm, XL, heavy duty, red/grey



ARS LPA-30L

LPA-30-1/LPA-30-2

45



1090

806

10

C

F



Lopper 806 mm, XL, anvil, red/grey

Spare parts available

From rubber bumpers, springs and screws to complete pruning heads, there are plenty of ARS and Metallo parts available to extend the life of your ARS or Metallo lopper. Good for your wallet, good for the environment.



ARS LPB-20S

LPB-20-1/LPB-20-2

30



825

476

10

C

F



Lopper 476 mm, S, red/grey



ARS LPB-20M

LPB-20-1/LPB-20-2

32



940

627

10

C

F



Lopper 627 mm, M, red/grey



ARS LPB-20L

LPB-20-1/LPB-20-2

34



1055

772

10

C

F



Lopper 772 mm, L, red/grey



ARS LPB-30S

LPB-30-1/LPB-30-2

34



860

482

10

C

F



Lopper 482 mm, S, red/grey



ARS LPB-30M

LPB-30-1/LPB-30-2

36



975

630

10

C

F



Lopper 630 mm, M, red/grey



ARS LPB-30L

LPB-30-1/LPB-30-2

38



1090

778

10

C

F



Lopper 778 mm, L, red/grey



Metallo K-4100

30



675


395

6/12

C


T

Minitakkenschaar 395 mm, green/black



Metallo K-5600

35



1190

700

12

C

Lopper 700 mm, wood



Metallo K-5950

55



1995

960

6

H

C

A





Lopper 960 mm, grey/black







Metallo K-4500

K-4500-1

50



1338

780

6/12

C

T



Lopper 780 mm, lever mechanism, anvil, green/black





Metallo K-5000

K-5000-1

50



1690

660-1000

12

C

T



Telescopic lopper 660-1000 mm, lever mechanism, anvil, green





Metallo K-5100

K-5100-1

50



1710

660-1000

12

C

T



Telescopic lopper 660-1000 mm, lever mechanism, green

Gear Power

These loppers are equipped with a quadruple lever mechanism that considerably eases heavy-duty work. Due to the lever mechanism, these loppers cut in steps up to a diameter of 50 mm.

Are you looking for a shears with lever mechanism?

The Metallo K-0200 is a very robust shears with the same lever mechanism. It cuts branches up to 25 mm thick. Make heavy work, light work.

Long reach loppers



ARS 185-1.5

185-1

38



1550

1500


10

C

F




Long reach lopper 1500 mm, red



ARS 185-1.8

185-1

38




1700

1800

10

C

F




Long reach lopper 1800 mm, red



Metallo K-5700

K-5700-1

36



800

500

6/12

H


C

A






Lopper 500 mm, grey/black



Metallo K-5750

K-5700-1

38



950


700


6/12

H


C

A






Lopper 700 mm, grey/black



Metallo K-5800

K-5800-1

40



830


500


6/12

H


C

A






Lopper 500 mm, grey/black



Metallo K-5850

K-5800-1

42



990


700


6/12

H

C

A





Lopper 700 mm, grey/black





Metallo 968020

64 180 12/120

S

Rose stripper Dornlos, red, stainless steel



Metallo 968021

64 180 12/72

S

Rose stripper Dornlos, red, stainless steel




Metallo 968110

21 140 24/144

A

Rose stripper 140 mm, aluminum



Metallo 968113

42 140 12/72

S

Set of 2 rose stripper 140 mm, stainless steel



Metallo 972013

62 155 6/48

C

Rose stripper Dornefix with knife

## Pruning saws with wooden handle



ARS CT-32E-W

CT-32E-1 125 420 500 5/50 H C 4.5 1.2

Pruning saw with a saw blade of 320 mm + holster, wood



ARS PS-25KL

25KL-1 100 140 415 5/50 H C 4.5 1.2

Pruning saw with a saw blade of 250 mm, wood



ARS PS-30KL

30KL-1 110 165 435 5/50 H C 4.5 1.2

Pruning saw with a saw blade of 300 mm, wood



ARS PS-32LL

32LL-1 135 230 550 5/50 H C 4.5 1.3

Pruning saw with a saw blade of 345 mm, wood



ARS UV-32E-W

UV-32E-1 125 420 500 5/50 H C 4.5 1.2

Pruning saw with a saw blade of 320 mm + holster, wood



Metallo K-6110W

K-6110-1 80 185 400 6/48 H C 4.5 1.4

Pruning saw with a saw blade of 180 mm, wood



Metallo K-6130W

K-6130-1 105 195 456 6/48 H C 4.5 1.4

Pruning saw with a saw blade of 270 mm, wood



Metallo K-6150W

K-6150-1 135 217 538 6/48 H C 4.5 1.4

Pruning saw with a saw blade of 350 mm, wood



Metallo K-6160W

K-6160-1 125 228 515 6/48 H C 4.5 1.4

Pruning saw with a saw blade of 330 mm, curved, wood



## Pruning saws with plastic handle

Met straight blad



**Metallo K-6110B**

K-6110-1

162 350 6/48 HC A Z 4.0 1.3

Pruning saw with a saw blade of 180 mm, blue/black



**Metallo K-6130B**

K-6130-1

185 430 6/48 HC A Z 4.0 1.4

Pruning saw with a saw blade of 270 mm, blue/black




**Metallo K-6150B**

K-6150-1

216 505 6/48 HC A Z 4.0 1.4

Pruning saw with a saw blade of 350 mm, blue/black



**ARS TL-24**

TL-24-1

190 406 5/50 C N A Z 3.5 1.3

Pruning saw with a saw blade of 240 mm + holster, black




**ARS TL-27**

TL-27-1

200 437 5/50 C N A Z 3.5 1.3

Pruning saw with a saw blade of 270 mm + holster, black



**ARS TL-30**

TL-30-1

210 465 5/50 C N A Z 3.5 1.3

Pruning saw with a saw blade of 300 mm + holster, black



**Metallo K-6110**

K-6110-1

179 400 6/48 HC A Z 4.0 1.3

Pruning saw with a saw blade of 180 mm, red/black




**Metallo K-6130**

K-6130-1

226 530 6/48 HC A Z 4.0 1.4

Pruning saw with a saw blade of 270 mm, red/black



**Metallo K-6150**

K-6150-1

226 530 6/48 HC A Z 4.0 1.4

Pruning saw with a saw blade of 350 mm, red/black




**ARS DUKE-25**

DUKE-25-1

250 420 5/50 C N A Z 4.0 1.2

Pruning saw with a saw blade of 250 mm + holster, red



**ARS CAM-18LN**

18LN-1

170 336 5/50 C N A Z 4.0 1.2

Pruning saw with a saw blade of 180 mm + holster, red



**ARS CAM-24LN**

24LN-1

240 432 5/50 C N A Z 4.0 1.3

Pruning saw with a saw blade of 240 mm + holster, red



**ARS CAM-18PRO**

18PRO-1

250 360 5/50 C N A Z 4.0 1.3

Pruning saw PRO with a saw blade of 180 mm + holster, red/black



**ARS CAM-24PRO**

24PRO-1

280 414 5/50 H C A Z 4.0 1.4

Pruning saw PRO with a saw blade of 240 mm + holster, red/black



### What is Super Turbocut?


The Super Turbocut saw blades have an extra notch, a fine tooth setting and are extra sharpened. The notches ensure that the saw waste is discharged more easily. This is especially beneficial when cutting wet or young wood.

### Sawing with ease

The saw blades have extra-hard teeth and are ground in a special way. As a result, sawing takes less effort and the cut is much neater.

### Impulse hardened

The innovative Impulse Hardening method involves heating and cooling the steel within several thousandths of a second using high-frequency current impacts. This allows ARS to achieve hardnesses ranging from 900HV to 950HV on the Vickers scale while maintaining high elasticity. Impulse hardened blades therefore last, under normal conditions, about three times longer.





## Pruning saws with plastic handle

### Met curved blad



**ARS CT-37PRO**  
CT-37PRO-1 5/50 145  
580 600 H C I A Z 4.0 1.2

Pruning saw PRO with a saw blade of 370 mm + holster, red/black



**ARS CT-42PRO**  
CT-42PRO-1 5/50 165  
600 600 H C I A Z 4.0 1.2


Pruning saw PRO with a saw blade of 420 mm + holster, red/black

**ARS**  
Cut Above the Rest




**ARS CTR-32PRO**  
CTR-32PRO-1 5/50 125  
430 480 H C I A Z 4.0 1.2

Pruning saw PRO with a saw blade of 320 mm + holster, red/black



**ARS UV-37PRO**  
JV-37PRO-1 5/50 145  
580 600 H C I A Z 4.0 1.2

Pruning saw PRO with a saw blade of 370 mm + holster, black/red




**ARS UV-32E**  
UV-32E-1 125  
420 500 5/50 H C I A Z 4.0 1.2

Pruning saw with a saw blade of 320 mm + holster, black/red



**ARS UVR-32PRO**  
UVR-32PRO-1 5/50 125  
450 480 H C I A Z 4.0 1.2

Pruning saw PRO with a saw blade of 320 mm + holster black/red



**Metallo K-6160**  
K-6160-1 125  
230 505 5/50 H C I A Z 4.0 1.2

Pruning saw with a saw blade of 330 mm, curved, red/black



**ARS G-17**  
G-17-1 5/50/100 65  
175 379 H C I A Z 4.0 1.2

Foldable pruning saw with a saw blade of 170 mm, black/red



**ARS GR-17**  
GR-17-1 5/50/100 65  
175 377 H C I A Z 4.0 1.2

Foldable pruning saw with a saw blade of 170 mm, curved, black/red




**ARS GR-18L**  
18R-L 5/50/100 70  
165 410 H C I A Z 4.0 1.2

Foldable pruning saw with a saw blade of 180 mm, curved, red




**ARS G-18L**  
18L-1 5/50/100 70  
160 410 H C I A Z 4.0 1.2

Foldable pruning saw with a saw blade of 180 mm, red



**ARS PM-21**  
PM-21-1 5/50 70  
180 440 H C I A Z 4.0 1.2

Foldable pruning saw with a saw blade of 210 mm, black/grey



**ARS PM-24**  
PM-24-1 5/50 80  
215 500 H C I A Z 4.0 1.2

Foldable pruning saw with a saw blade of 240 mm, black/grey




**ARS 210DX**  
211 5/50/100 60  
140 350 H C I A Z 4.0 1.2

Foldable pruning saw with a saw blade of 165 mm, red



**ARS IK-10-R**  
35 130 5/50/100 50 N C

Foldable pruning saw with a saw blade of 220 mm, red



**ARS PRO-ST**  
53 10/50

Set of two straps for PRO-serie saws, 580 mm, black



**Metallo K-6025**  
K-6025-1 70  
207 242 6/48 H C I A Z 4.0 1.2

Foldable pruning saw with a saw blade of 180 mm, straight, black/red



**Metallo K-6045**  
K-6045-1 70  
209 242 6/48 H C I A Z 4.0 1.2

Foldable pruning saw with a saw blade of 180 mm, curved, black/red





# The unique ARS long reach pruners

When pruning large shrubs or flowerbeds, it is useful to use a shears on a handle. This allows you to reach high without having to climb, or to cut low without having to bend over.



Cut & Hold

**ARS 150-0.6** 150-1

325 617 2/10

Long reach pruning shears 600 mm, red/grey

Cut & Hold

**ARS 160-0.35** 160-1

300 350 2/10

Rose pruning shears 350 mm, red/grey

Cut & Hold

**ARS 160-0.6** 160-1

360 600 2/10

Long reach cut & hold shears 600 mm, red/grey

**ARS 160U-0.7** 160U-1

405 700 5/20

Lily pruners 700 mm, red/grey

Cut & Hold

**ARS 160-1.2** 160-1

490 1200 2/10

Long reach cut & hold shears 1200 mm, red/grey

**ARS 180-1.2** 180-1

570 1200 2/10

Long reach shears 1200 mm, red/grey

**ARS 180-1.8** 180-1

720 1800 2/10

Long reach shears 1800 mm, red/grey

**ARS 180LR-1.2** 180L-1

730 1246 2/10

Long reach shears 1246 mm, red/grey

**ARS 180LR-1.8** 180L-1

870 1846 2/10

Long reach shears 1846 mm, red/grey

Cut & Hold

**ARS 160R-1.8** 160ZR-1

710 1817 5/20

Long reach cut & hold shears 1817 mm, red/grey

**ARS 180LR-2.1** 180L-1

950 2146 2/10

Long reach shears 2146 mm, red/grey

Cut & Hold

**ARS 160-2.4** 160-1

890 2400 2/10

Long reach cut & hold shears 2400 mm, red/grey

**ARS 180R-1.8** 180L-1

695 1817 5/20

Long reach shears 1817 mm, red/grey

**ARS 180-2.4** 160-1

870 2400 2/10

Long reach shears 2400 mm, red/grey



# Cut & Hold

## ZF Series

- Light weight
- Telescopic
- Very stable
- Ergonomic design
- 180° rotating handle
- Cutting height; up to 5 metres



## Long reach features

ARS long reach shears are made of lightweight aluminium. The blades are hardened chrome-plated and therefore resistant to rust and corrosion. The comfortable handles are ergonomic and therefore reduce the risk of injury.

The 180° rotating handle allows you to determine the right cutting position without putting unnecessary strain on the wrist.

The 160 Series consists of a number of long-arm pruning shears, which are equipped with a cutting head with grip blocks, called "Cut & Hold". This allows you to collect the cut item, such as fruit and flowers, in a controlled way.

The 180-series consists of a number of long-arm shears, which are equipped with a cutting head that is suitable for all cutting work at height.



**ADJUSTABLE FROM 1260 TO 2010 MM**

**ARS 160ZF-2.0-3** Cut & Hold

160ZR-1

950 1260-2010 2/10

Long reach shears, telescopic, 1300 - 2000 mm, red/grey

ARS Cut Above the Rest

**ADJUSTABLE FROM 1762 TO 3010 MM**

**ARS 160ZF-3.0-5** Cut & Hold

160ZR-1

1200 1762-3010 2/10

Long reach shears, telescopic, 1800 - 3000 mm, red/grey

ARS Cut Above the Rest

**ADJUSTABLE FROM 1260 TO 2010 MM**

**ARS 180ZF-2.0-3**

180ZR-1

935 1260-2010 2/10

Long reach shears, telescopic, 1300 - 2000 mm, red/grey

ARS Cut Above the Rest

**ADJUSTABLE FROM 1762 TO 3010 MM**

**ARS 180ZF-3.0-5**

180ZR-1

1185 1762-3010 2/10

Long reach shears, telescopic, 1800 - 3000 mm, red/grey

ARS Cut Above the Rest





# ARS

## Cut Above the Rest

### Compose the right telescopic saw

With an extensive range of 32 cm saw blades, ARS offers the possibility of creating the best combination for your job in using the JG-2 and an EXP pole.



ARS JG-2

178 140 5/20

ARS SH-32-EXP

200 10



ARS UV-32E-1

390 320 10/100 125



ARS CTR-32PRO-1

390 320 10/100 125



ARS UVR-32PRO-1

390 320 10/100 125



ARS CT-32E-1

390 320 10/100 125

### Telescopic pole saws



ADJUSTABLE FROM 1200 TO 1800 MM

ARS EXW-1.8

EXW-1 100 750 1200-1800 5/20 H C A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Telescopic polesaw EXW-1.8 with a saw blade of 300 mm, 1200 - 1800 mm, red/grey



ADJUSTABLE FROM 1800 TO 2700 MM

ARS EXW-2.7

EXW-1 100 1030 1800-2700 5/20 H C A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Telescopic polesaw EXW-2.7 with a saw blade of 300 mm, 1800 - 2700 mm, red/grey

### Pruning saws for poles



Super Turbocut

ARS UV-34

UV-34-1 135 390 560 5/20 N A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Pruning saw with a saw blade of 340 mm, for ARS EXP poles, red

Super Turbocut



ARS UV-40

UV-40-1 160 520 630 5/20 H C A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Pruning saw with a saw blade of 400 mm, for ARS EXP poles, red + holster

Super Turbocut



ARS UV-47

UV-47-1 185 500 670 5/20 N A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Pruning saw with a saw blade of 470 mm, for ARS EXP poles, red + holster



Super Turbocut

ARS UV-34-JG-3

UV-34-1 135 390 560 5/20 N A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Pruning saw with a saw blade of 560 mm, for round poles, red



Metallo K-6710

K-6710-1 160 420 620 6/24 H C A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Pruning saw with a saw blade of 400 mm, for Metallo K-6670/80/90, black





**Metallo K-6670**

1215 1700-3000 6/12 A

Telescopic pole 1700 - 3000 mm, 2-piece, black/grey

**Metallo K-6680**

2075 1850-4800 6/12 A

Telescopic pole 1850 - 4800 mm, 3-piece, black/grey

**Metallo K-6690**

2520 2350-6100 6/12 A

Telescopic pole 2350 - 6100 mm, 3-piece, black/grey



**ARS EXP-3.3**

1530 1405-3288 5/10 A

Telescopic pole EXP 1405 - 3288 mm, red/grey

**ARS EXP-4.5**

1720 1838-4560 5/10 A

Telescopic pole EXP 1838 - 4560 mm, red/grey

**ARS EXP-5.5**

2100 2175-5605 5/10 A

Telescopic pole EXP 2175 - 5605 mm, red/grey

STEPLESS ADJUSTABLE FROM 1700 TO 3000 MM

STEPLESS ADJUSTABLE FROM 1850 TO 4800 MM

STEPLESS ADJUSTABLE FROM 2350 TO 6100 MM

ADJUSTABLE FROM 1405 TO 3288 MM

ADJUSTABLE FROM 1838 TO 4560 MM

ADJUSTABLE FROM 2175 TO 5605 MM

Replaceable dull for the right saw →

← Extendable up to 5.6 meters\*

Comfortable non-slip grip →


\*Type EXP-5.5  
Image: Type EXP-3.3





### EXP hook

JGH-90 provides better support for pulling cut branches from trees and hanging the saw from a branch while climbing or changing positions.



#### ARS JGH-90

182 156 5/50



Hook for all EXP poles



#### ARS JG-1

178 140 10/100

Handle for UV-40 & UV-47, voor EXP poles, red



#### ARS JG-2

178 140 10/100

Handle for UV-34, UV-32E-1, CT-32E-1, UVR-32PRO-1, CTR-32PRO-1, red



#### ARS JG-3

178 140 10/100

Handle universal, red



#### ARS JG-4

178 140 10/100

Handle universal, red



#### ARS SH-32-EXP

390 560 10

Holster for UV-32E-1, CT-32E-1, UVR-32PRO-1, CTR-32PRO-1

## Pruning elements



#### Metallo K-6770-A

K-6770-1

50

1254 500 6/48



Pruning element for ARS EXP-3.3/4.5/5.5, red/black



#### Metallo K-6770

K-6770-1

50

1219 480 6/48



Pruning element for Metallo K-6670/80/90, black

## Hack saws



#### Metallo K-6210

K-6210-1

135

510 460 10



Hack saw with a saw blade of 380 mm (15"), black/grey



#### Metallo K-6230

K-6230-1

170

640 620 10



Hack saw with a saw blade of 530 mm (21"), black/grey



#### Metallo K-6250

K-6250-1

230

820 850 10



Hack saw with a saw blade of 670 mm (30"), black/grey





Metallo K-6410W

810 360 24

Axe 360 mm, head weight 600g, wood



Metallo K-6430W

1888 700 12

Axe 700 mm, head weight 1.250g, wood



Metallo K-6450W

2279 800 12

Axe 800 mm, head weight 1.600g, wood



Metallo K-6410

916 630 24

Axe 360 mm, head weight 600g, fibre glass, black/yellow



Metallo K-6430

2078 700 12

Axe 700 mm, head weight 1.250g, fibre glass, black/yellow



Metallo K-6450

2503 800 12

Axe 800 mm, head weight 1.600g, fibre glass, black/yellow



Metallo K-6480

4604 900 6

Splitting axe 900 mm, head weight 3.000g, fibre glass, black/yellow

### Geprüfte Sicherheit

The German certification “GS Geprüfte Sicherheit” (Tested Security) is awarded after inspection of production processes and products. These are repeated at regular intervals, so that the certification continues to maintain its safety value. It is also checked that no harmful substances have been used.

### Fibre glass handles

The yellow/black series is equipped with a fibre glass handle. A major advantage of this is its light weight and the ease of keeping the handle clean. It does not absorb any grease or water.

### Made of ash wood

The wooden series has a waxed ash wood handle. The wax ensures that the wood can breathe and does not absorb water and dirt, which results in a longer life. Moreover, waxing is better for the environment than the lacquered versions.



Metallo K-0900-S

315 6/24

The extra advantageous K-0900-S pruning set is composed of two top items in the assortment. The K-0900 is a popular shears, with a total length of 215 mm and a cutting thickness of 25 mm. The shears are equipped with an ergonomic handle and a damper to spare your wrist. The 958115 is a pocket knife with a stainless steel blade of 82 mm and a total length of 185 mm.



ARS ARS-10-S

325 6/24

A beautiful set with a folding pruning saw for professional use and a professional lightweight and ergonomic shears. The GR-17 is a saw with a tapered, slightly curved blade and is equipped with a unique patented 170 mm blade. The VS-8Z shears are equipped with a unique safety lock for added security. The blade is made from hardened chrome-plated steel.

# SURPRISE YOUR RELATIONS, FRIENDS OR FAMILY





# Long lifespan.

## Wide range of parts

Sometimes it is not necessary to replace an entire product.

With a view to durability, several parts are available.

This differs per product. For example, handles, springs, bumpers or even complete pruning heads or saw blades are available.



### Long lifespan

Thanks to special techniques, our knives, scissors and saws have a long life. This is due special hardening techniques and by sharpening the grinding of the blades and knives to a high quality.

### Parts

Thanks to a wide range of spare parts, there is no need to throw away a product if, for example, a blade has broken off or a spring has been lost. For example, a blade has broken off or a spring has been lost. This is easy to replace yourself.

### Maintenance

In order to be able to work with a pruning saw or shears for as long as possible, it is important to store them in a dry and clean place. An ideal cleaning product is our GO-1 and GO-5 (page 12).


### Recyclable

Our products are recyclable, so do what is right and bring your old products to a collection point. The steel and aluminium can be reused.

### Parts drawings

For most of the products, spare parts drawings are available. These spare parts drawings contain clear information for those who want to replace a part due to a defect or multiple use. This can be a screw, a spring or even a complete saw or pruning blade.

All available parts are described and numbered. The parts drawings can be downloaded from our website.



## A selection from the parts assortment

View all parts at [westparts.com](https://westparts.com)

#### ARS SP-61

1

C

Spring for shears ARS VS, VA en 130/140 series

#### Metallo K-0100-1

100

H A C T

Upper blade for shears Metallo K-0100

#### Metallo K-6710-1

300 400

H C 4.0 1.8

Saw blade for telescopic saw Metallo K-6710

#### ARS 211

41 165

H C A 4.0 1.2

Saw blade for folding saw ARS 210DX

#### ARS SP-439

3

Bumper for KR-1000

#### Rapid R120428







20

Driver with spring for Rapid K1




# Brilliant ergonomic strip steel knives

Lightweight, HACCP compliant with razor-sharp blade from Solingen, Germany







# K-7000



19


135

20/40/240


C

Knife HACCP with a blade of 40 mm, rounded tip, blue


Verkrijgbaar in multiple colors



**Metallo K-7001** Knife HACCP black, 40 mm, rounded



**Metallo K-7002** Knife HACCP yellow, 40 mm, rounded tip



**Metallo K-7003** Knife HACCP red, 40 mm, rounded tip



**Metallo K-7010**

18

140

20/40/240

C

Knife HACCP with a blade of 40 mm, blue



**Metallo K-7020**

19

150

20/240

C

Knife HACCP with a blade of 60 mm, rounded tip, blue



**Metallo K-7060**

21

145

20/240

S

Knife HACCP with a blade of 40 mm, stainless steel, rounded tip, blue



**Metallo K-7070**

22

170

20/240

S

Knife HACCP with a blade of 60 mm, stainless steel, curved, blue



**Metallo K-7080**

25

185

20/240

S

Knife HACCP with a blade of 80 mm, stainless steel, blue



**Metallo K-7030**

18

140

20/240

C

Knife HACCP with a blade of 40 mm, blue



**Metallo K-7071**

20

170

20/240

C

Knife HACCP with a blade of 60 mm, C50 steel, curved, blue



**Metallo K-7110**

95

220

6/60

S

Knife HACCP with a blade of 90 mm, stainless steel, blue



**Metallo K-7120**

105

260

6/60

S

Knife HACCP with a blade of 130 mm, stainless steel, blue



**Metallo K-7122**

69

260

6/60

C

Knife HACCP with a blade of 130 mm, C60 steel, blue



**Metallo K-7130**

136

295

6/60

S

Knife HACCP with a blade of 155 mm, stainless steel, blue





**Metallo K-7140**

144

320

6/60

S

Knife HACCP with a blade of 180 mm, stainless steel, blue



**Metallo K-7141**

130

320

6/60

S

Knife HACCP with a blade of 180 mm, stainless steel, serrated, blue



**Metallo K-7142**

126

320

6/60

C

Knife HACCP with a blade of 180 mm, C60 steel, blue







**Metallo K-7144**

121 320 6/60 C

Knife HACCP with a blade of 180 mm, C60 steel, serrated, blue



**Metallo K-7150**

178 340 6/60 S

Knife HACCP with a blade of 210 mm, stainless steel, blue



**Metallo K-7151**

165 340 6/60 S

Knife HACCP with a blade of 210 mm, stainless steel, serrated, blue



**Metallo K-7341**

129 320 6/60 S

Knife HACCP with a blade of 180 mm, stainless steel, serrated, red



**Metallo K-7451**

163 340 6/60 S

Knife HACCP with a blade of 210 mm, stainless steel, serrated, yellow



**Metallo K-7351**

165 340 6/60 S

Knife HACCP with a blade of 210 mm, stainless steel, serrated, red



**Metallo K-7441**

127 320 6/60 S

Knife HACCP with a blade of 180 mm, stainless steel, serrated, yellow



**Victorinox VIC50401**

18 180 20 S

Knife with a blade of 80 mm, stainless steel, red



**Victorinox VIC5163318**

75 280 6 S

Bread knife with a blade of 180 mm, stainless steel, serrated, black



**Victorinox VIC50433**

18 180 20 S

Knife with a blade of 80 mm, stainless steel, serrated, black



**Victorinox VIC5163321**

81 310 6 S

Bread knife with a blade of 210 mm, stainless steel, serrated, black



**Victorinox VIC50833**

26 216 20 S

Knife with a blade of 110 mm, stainless steel, serrated, black



Martor foil cutters





**Martor MT0010**

52 158 10 S

Secumax 320, foil cutter, black




**Martor MT0020**

7 76 10 S

Foil cutter Polycut, blue



The MARTOR safety knives can be used specifically as foil cutters or openers for various packages because of the properties of their shape and ease of use.



**Martor MT0005**

52 158 10 S

Foil cutter Folex, standard, yellow





Metallo **930665**

41

185

12/244

C

Knife with a blade of 75 mm, C60 steel, wood



Metallo **960005**

35

185

12/244

C

Knife with a blade of 85 mm, C60 steel, wood



Metallo **960006**

33

180

12/244

S

Knife with a blade of 85 mm, stainless steel, wood



Metallo **960050**

17

170

20/240

S

Knife with a blade of 1406, 75 mm, stainless steel, curved, wood



Metallo **960070**

17

185

20/240

C

Knife with a blade of 105 mm, wood



Metallo **960076**

17

155

20/240

S

Knife with a blade of 60 mm, stainless steel, type 107, wood



Metallo **960010**


31

180

12/244

C

Knife with a blade of 45 mm, C60 steel, wood



Metallo **960015**


20

165

20/240

C

Knife with a blade of 60 mm, C60 steel, wood



Metallo **960020**

18

145

20/240

C

Knife with a blade of 40 mm, C60 steel, wood



Metallo **960078**

18

165

20/240

S

Knife with a blade of 80 mm, type 107, stainless steel, wood



Metallo **960080**

52

155

20/240

S

Knife with a blade of 65 mm, stainless steel, wood



Metallo **960170**

113

330

6/60

C

Knife with a blade of 180 mm, wood, black



Metallo **960025**

22

185

20/240

C

Knife with a blade of 90 mm, C60 steel, wood



Metallo **960030**

29

170

12/244

C

Knife with a blade of 65 mm, C60 steel, wood



Metallo **960035**

15

140

20/240

C

Knife with a blade of 40 mm, C60 steel, wood



Metallo **960110**

62

200

6/60

C

Knife with a blade of 90 mm, C60 steel, wood



Metallo **960115**

63

215

6/60

C

Knife with a blade of 100 mm, C60 steel, wood



Thin blade (1.5 mm)

Metallo **960115E**

60

215

6/60

C

Knife with a blade of 100 mm, C60 steel, wood



Metallo **960040**

18

140

20/240

C

Knife with a blade of 40 mm, C60 steel, rounded tip, wood



Metallo **960043**

19

170

20/240

C

Knife with a blade of 75 mm, C60 steel, serrated, wood



Metallo **960045**


19

170

20/240

S

Knife with a blade of 75 mm, stainless steel, serrated, wood



Metallo **960120**

75

245

6/60

C

Knife with a blade of 130 mm, C60 steel, wood



Thin blade (1.5 mm)

Metallo **960120E**

51

245

6/60

C

Knife with a blade of 130 mm, C60 steel, wood



Metallo **960122**

68


240

6/60

S

Knife with a blade of 130 mm, stainless steel, wood





Metallo **960125**

100

220

6/60

C

Knife with a blade of 150 mm, C60 steel, wood



Metallo **960125E**

97

220

6/60

C

Knife with a blade of 150 mm, C60 steel, wood



Check all Metallo knives on  
[www.metallotools.com](http://www.metallotools.com)



Friedrich Herder **F0317D**


55

190

6/48

SK5

Knife with a blade of 90 mm, SK5 steel, wood



Friedrich Herder **F0317H**


71

220

6/48

SK5

Knife with a blade of 105 mm, SK5 steel, wood



Friedrich Herder **F0317L**

59

250

6/48

SK5

Knife with a blade of 130 mm, SK5 steel, wood



Metallo **960126**

96

220

6/48

C

Knife with a blade of 150 mm, C60 steel, serrated, wood



Metallo **960130**

108

295

6/60

C

Knife with a blade of 180 mm, C60 steel, wood



Metallo **960131**


116

310

6/60

C

Knife with a blade of 180 mm, C60 steel, serrated, wood



Friedrich Herder **F0317P**


95

270

6/48

SK5

Knife with a blade of 155 mm, SK5 steel, wood



Friedrich Herder **F0317R**


83

270

6/48

SK5

Knife with a blade of 155 mm, SK5 steel, serrated, wood



Friedrich Herder **F0317T**


95

295

6/48

SK5

Knife with a blade of 180 mm, SK5 steel, wood



Metallo **960135**

110

320

6/60

C

Knife with a blade of 200 mm, C60 steel, wood



Metallo **960136**


113

300

6/60

C

Knife with a blade of 200 mm, C60 steel, serrated, wood



Metallo **960137**


115

300

6/60

S

Knife with a blade of 200 mm, stainless steel, serrated, wood



Friedrich Herder **F0317V**


95

295

6/48

SK5

Knife with a blade of 180 mm, SK5 steel, serrated, wood



Friedrich Herder **F0317X**


127

320

6/48

SK5

Knife with a blade of 210 mm, SK5 steel, wood



Friedrich Herder **F0317Y**

137

320

6/48

SK5

Knife with a blade of 210 mm, SK5 steel, serrated, wood



Metallo **960140**

126

340

6/60

C

Knife with a blade of 230 mm, C60 steel, wood



Metallo **960180**

115

315

6/60

C

Knife with a blade of 180 mm, curved lemnet, C60 steel, wood



Metallo **960185**


147

340

6/60

C

Knife with a blade of 200 mm, curved lemnet, C60 steel, wood



Friedrich Herder **F4893**


44

195

12/48

SK5

Knife with a blade of 85 mm, licht curved, SK5 steel, wood



Friedrich Herder **F4978**

20

180

12/48

SK5

Knife with a blade of 80 mm, SK5 steel, wood



Check all Friedrich Herder knives on  
[www.friedrichherder.com](http://www.friedrichherder.com)






**Bergo Tools BC058ROL-5**

86 250 5 S

Knife with a blade of 130 mm, Rol-5, stainless steel,



**Loewen LW604R**


38 175 12 S

Knife 604R with a blade of 60 mm, stainless steel, wood

**Keep your knives & blades sharp**



Remains sharp by using a grinding stone or a grinding egg. **More on page 13.**



**Metallo 970010**

62 165 6/48 S


Pocket knife with a blade of 80 mm, stainless steel, wood



**Metallo 970011**

69 165 6/48 C

Pocket knife with a blade of 80 mm, plastic, black




**Metallo 970020**

53 170 6/48 C

Pocket knife with a blade of 80 mm, C60 steel, wood




**Pocket knives**



**Metallo 958110**

54 165 6/24/144 S

Pocket knife with a blade of 75 mm, stainless steel, wood



**Metallo 958115**

71 185 6/24/144 S

Pocket knife with a blade of 80 mm, stainless steel, wood



**Metallo 958120**


88 210 6/24/144 S

Pocket knife with a blade of 95 mm, stainless steel, wood

Walnut

Stainless steel






**Metallo 970100**

82 200 6/48 C

Pocket knife with a blade of 100 mm, with notches, wood






**Metallo 958150**

44 92 6/24 S


Pocket knife with a blade of 75 mm, stainless steel, plastic, black



**Metallo 958155**

74 108 6/24 S


Pocket knife with a blade of 85 mm, stainless steel, plastic, black



**Metallo 958151**

17 92 6/24 S

Pocket knife with a blade of 75 mm, stainless steel, plastic, blue




**Metallo 958156**

18 108 6/24 S

Pocket knife with a blade of 85 mm, stainless steel, plastic, blue






**Friedrich Herder F0062**

83 118 6/24 C


Pocket knife with a blade of 95 mm, wood



**Friedrich Herder F0063**

65 106 6/24 C


Pocket knife with a blade of 85 mm, wood



**Friedrich Herder F0064**

50 100 6/24 C

Pocket knife with a blade of 70 mm, wood



**Victorinox VIC39050**


36 100 10 C

Pocket knife with a blade of 70 mm, red




## Disinfection knives & leaf cutters

This specially developed line is intended to follow the strict guidelines set for the harvesting of various crops. For example, there is the Germo-Knife where liquid in the handle moisturises the blade to help prevent help to prevent cross-contamination. The Leaf-Cutter, which removes excess leaves from tomato plants, for example, without damaging the fruit.




### Oculate & copulate



**Metallo 970066**

63 170 6/48 C

Grafting knife with a blade of 75 mm, plastic, black




**Metallo 970067**

Left-handed

59 170 6/48 C


Grafting knife with a blade of 75 mm, left-handed, plastic, black



**Metallo 970099**

45 170 12/48 S


Grafting knife with a blade of 80 mm, black, stainless steel



**Metallo 970080**

45 170 6/48 C

Grafting knife with a blade of 70 mm, plastic, red



**Metallo 970085**

54 175 6/24 C


Grafting knife with a blade of 70 mm, plastic, red



**Metallo 970095**

34 125 6/48 C

Carnation knife with a blade of 60 mm, plastic, red



**Metallo 970098**

55 165 6/48 C

Grafting knife with a blade of 70 mm, plastic, red



**Metallo K-8000**

47 188 6/48

Germa-Knife, rounded tip, blue



**Metallo K-8010**

46 193 6/48

Germa-Knife, pointed tip, blue



**Metallo K-8060** (incl. 50 knives)  
**Metallo K-8060BULK**

120 162 6/48

Leaf cutter aluminum




**Metallo K-8065** (incl. 50 knives)  
**Metallo K-8065BULK**

41 162 6/48

Leaf cutter PE, blue





Blade width 9 mm

Metallo **955020**Metallo **955021** | 10 reservemessen

15 130 60



Snap-off knife 120 mm, yellow/black

Blade width 18 mm

Metallo **955010**Metallo **955011** | 10 reservemessen

37 150 12/144



Snap-off knife 150 mm, yellow/black

mator

Martor **MT0050**

73 143 10



Safety knife with rounded tip, cutting depth 17 mm

## Tomato knives

Zwilling **930515**

20 165 20/240



Knife with a blade of 55 mm curved, stainless steel, red

Zwilling **930520**

21 170 20/240



Knife with a blade of 65 mm, 38041-070, stainless steel, red

Metallo **930525**

20 165 20/240



Knife with a blade of 60 mm, curved, stainless steel, red

Metallo **930530**

21 170 20/240



Knife with a blade of 80 mm, stainless steel, red

Metallo **960090**

22 195 12/48



Knife with a blade of 105 mm, stainless steel, orange

Friedrich Herder **F8332**

25 160 12



Knife with a blade of 60 mm, curved, black, stainless steel

Metallo **960055**

107 270 12



Filleting knife with a blade of 180 mm, stainless steel, star 2.5 mm, blue

Metallo **960057**

107 270 12



Filleting knife with a blade of 180 mm, stainless steel, flex 2.2 mm, blue



Flexible

Friedrich Herder **F8665E**

80 305 12



Filleting knife with a blade of 180 mm, stainless steel, flex, green



Medium

Friedrich Herder **F8665G**

89 305 12



Filleting knife with a blade of 180 mm, stainless steel, medium, green



Rigid

Friedrich Herder **F8665J**

105 305 12



Filleting knife with a blade of 180 mm, stainless steel, rigid, green

Friedrich Herder **F8665O**

106 330 12



Filleting knife with a blade of 210 mm, stainless steel, green



Rigid

Bergo Tools **BC223P-7**

104 315 12



Filleting knife with a blade of 180 mm, stainless steel, rigid, plastic, black



Rigid

Bergo Tools **BC223P-8.5**

120 345 12



Filleting knife with a blade of 205 mm, stainless steel, rigid, plastic, black




Flexible

Bergo Tools **BC223PF-7FLEX**


104 315 12



Filleting knife with a blade of 180 mm, stainless steel, flex, plastic, black







**Friedrich Herder F8611**

249 450 6


Fish knife with a blade of 300 mm, serrated, stainless steel, green



**Friedrich Herder F8612**

145 350 12


Fish knife with a blade of 210 mm, serrated, stainless steel, green



**Friedrich Herder F8649E**

92 315 6


Filleting knife with a blade of 180 mm, stainless steel, green



**Friedrich Herder F8660**

31 170 12


Gutting knife with a blade of 65 mm, stainless steel, green



**Friedrich Herder F8661**

29 155 12

Gutting knife with a blade of 45 mm, stainless steel, green



**Friedrich Herder F8663**

46 170 12

Gutting knife with a blade of 70 mm, stainless steel, green



**Friedrich Herder F8649J**

150 345 6


Filleting knife with a blade of 210 mm, stainless steel



**Friedrich Herder F8662**

44 165 12


Eel knife with a blade of 55 mm, stainless steel, curved, green



**Friedrich Herder F8675J**

156 310 12


Filleting knife with a blade of 180 mm, stainless steel, curved, green



**Loewen LW825**

37 160 12/120


Gutting knife with a blade of 60 mm, stainless steel, green, plastic



**Friedrich Herder F0357**

32 175 12/144


Gutting knife with a blade of 65 mm, SK5 steel, wood



**Friedrich Herder F4923**

34 190 12/144


Gutting knife with a blade of 45 mm, SK5 steel, wood



**Friedrich Herder F8667**

107 435 6


Tranche knife with a blade of 315 mm, stainless steel, green



**Friedrich Herder F8668**

37 215 12


Fish knife with a blade of 110 mm, stainless steel, green



**Friedrich Herder F8672J**

189 350 12

Filleting knife with a blade of 210 mm, stainless steel, flex, green




**Friedrich Herder F8690**

39 165 12

Gutting knife with a blade of 65 mm, stainless steel, green

## Fin scissors & herringbone pliers

The perfect tools for easy fish processing



**Giesser G9505K**

227 270 10

Fish fin scissors, 270 mm, black



**Giesser G9515**

100 170 10

Herringbone pliers 170 mm, stainless steel




**Metallo 960095**

28 145 20/240

Gutting knife with a blade of 45 mm, blue, stainless steel





Friedrich Herder **F8677E**

187 345 12 S

Chef knife with a blade of 210 mm, stainless steel, green

Friedrich Herder **F8677J**

222 390 12 S

Chef knife with a blade of 260 mm, stainless steel, green

Friedrich Herder **F8647E**

251 420 12 S

Butcher knife with a blade of 210 mm, stainless steel, green

Friedrich Herder **F8685E**

88 260 12 S

Butcher knife with a blade of 130 mm, stainless steel, green

Friedrich Herder **F86640**

104 280 12 S

Knife with a blade of 155 mm, stainless steel, green

Friedrich Herder **F86470**

258 445 12 S

Butcher knife with a blade of 315 mm, stainless steel, green

Friedrich Herder **F8664J**

91 265 12 S

Knife with a blade of 130 mm, stainless steel, green

Friedrich Herder **F8664E**

69 220 12 S

Knife with a blade of 90 mm, stainless steel, green

Friedrich Herder **F8654E**

159 340 12 S

Knife with a blade of 155 mm, stainless steel, green

View all Friedrich Herder knives on  
[www.friedrichherder.com](http://www.friedrichherder.com)Friedrich Herder **F8685J**

87 290 12 S

Butcher knife with a blade of 155 mm, stainless steel, green


Friedrich Herder **F8688E**

196 345 12 S

Butcher knife with a blade of 210 mm, stainless steel, green

## Special knives

## Hollowing knives

Metallo **965010**

24 105 10/100 A

Peeler Rex 105 mm, aluminum

Martor **966160**


34 10/100 S

Secumax ring knife MDP 20 mm, stainless steel, open, blue

Metallo **960085**

30 140 6/60 C

Hollowing knife with a blade of 40 mm, wood

Metallo **960086**

30 140 6/60 C

Hollowing knife with a blade of 40 mm, left-handed, wood





## Spinach knives

These knives are often used for harvesting spinach. The shape gives you the right cutting angle. The knives have a robust and ergonomic handle. And are available with both plastic and wooden handles.



**Metallo K-7231**

179 310 6/24

C

Spinach knife HACCP with a blade of 150 mm, C60 steel, serrated, blue



**Metallo K-7230**

175 310 6/24

C

Spinach knife HACCP with a blade of 150 mm, C60 steel, blue



Stainless steel

**Metallo 963010**

152 310 6/48

S

Spinach knife with a blade of 150 mm, stainless steel, wood



Stainless steel

**Metallo 963011**

156 310 6/48

S

Spinach knife with a blade of 150 mm, stainless steel, serrated, wood



**Friedrich Herder F1123**

149 325 12

S

Sharpening steel 210 mm, stainless steel



**Friedrich Herder F1133E**

309 390 6

S

Sharpening steel 260 mm, stainless steel



**Friedrich Herder F1133J**

347 430 6

S

Sharpening steel 310 mm, stainless steel



**Maser MA156830** (33 cm)

**Maser MA156860** (60 cm)

Magnet strip, black





Rapid **R10510601** Staple gun K1 24/6-8, boxRapid **R10510628** Staple gun K1 24/6-8, blister

360 40

Rapid **R10540310**

522 10

Staple gun HD31 73/6-12

Rapid **R10542901**

360 40

Staple gun K41, waved-classic, box



## Robust and durable staple guns

Rapid offers a wide range of robust and durable sutured pliers, tailored to the needs of professionals and do-it-yourselfers. The smart design and unique features are the result of our tradition of innovation and taking the time to understand the needs of our users.

Rapid **R5000890**

230 6

Staple gun Maxi SP, incl. 200 staples

Rapid **R21310400**

200 50

E10 Staple gun Plastic/Metal

Rapid **R24142811**

190 6

S27 staple gun, black/grey

Rapid **R20510450**

550 5

Staple gun R23, metal, blister

Rapid **R20510650**

890 5

Staple gun R33, metal, blister

Rapid **R20511050**

550 5

Staple gun R153, metal

Rapid **R20511250**

890 5

Staple gun R353, metal, ergonomic, blister

Rapid **R20511450**

560 5

Staple gun R14, metal, blister

Rapid **R20511550**

890 5

Staple gun R34, metal, blister

Rapid **R20009450**

400 5

Staple gun 253, T&amp;F blister, blue/black

Rapid **R20009550**

400 5

R453 Staple gun, blue/black

Rapid **R20011550**

380 5

Staple gun R83 (ABS), blue/black, blister

Rapid **R20443950** (in blister)Rapid **R20443901** (in box)

310 5/6

Staple gun R13 (ABS), yellow

Rapid **R20443850**

300 5

Staple gun R53 (ABS), red, blister

Rapid **R11520110**

600 16

Staple gun Compacta metal, incl. staples







Adjustable impact force

**Rapid R21000860**

15 mm 6-14 mm

390 10

Staple gun R64, blue



**Rapid R22876000**

15 mm 6-14 mm

720 5

PRO ALU840 Staple gun, blue



Adjustable impact force

**Rapid R22876001**

15 mm 6-14 mm

710 10

PRO ALU840 Staple gun, grey/green



**Rapid R40107318**

4-10 mm 4-10 mm

530 6

Staple gun ALU610, blue



**Rapid R467000000**

8 mm

850

Staple gun ESCO58



Adjustable impact force


**Rapid R5000516**

15 mm 6-14 mm

600 3

Staple gun ALU953, blue

## Cable staple guns




Adjustable impact force

**Rapid R20511750**

9-11 mm

890 5

Cable staple gun R28, metal, blister



Adjustable impact force

**Rapid R20511850**

10-14 mm 10-14 mm

860 5

PRO R36 Cable staple gun



**Rapid R20725902**

6-10 mm

1000 10

Rapid PRO Hamertacker R11



**Rapid R20726001**

4-6 mm

410 10

Hamertacker R19, voor 13 serie, box



**Rapid R5000005**

6-12 mm

1000 4

Hamertacker Rapid 311

## Electric staple and nail guns



**Rapid R10642912**

15-20 mm 8-20 mm

3650 5

Staple gun electric 553 in case, 230V



**Rapid R22275001**

15 mm 6-14 mm

1810 5

Staple gun electric ESN114, 230V



**Rapid R24171201**

8-16 mm

1930 5

Staple gun electric R214, 230V



**Rapid R5000579**

15 mm 6-14 mm

1260 4

Staple gun electric hobby, 230V



**Rapid R24371500**

15 mm 6-14 mm

880 5

Electric staple gun Hobby, 230V



**Rapid R5000128**

15 mm 6-14 mm

1190 3

Staple gun electric BTX530 + Li-Ion battery, 7,2V



**Rapid R5000129**

15 mm 6-14 mm

1130 3

Electric staple gun ESN530, 230V



**Rapid R5000836**

25-50 mm

4000 2

Nail gun BN50 Li-Ion, 18V



**Rapid R5000837**

32-64 mm

4300 5

Rapid PRO 18V Li-ion nail gun BN64, Koffer





Rapid **R5000051**

1770 5

Pneumatic staple gun PS101, case + oil, attachments, 300x53/10



Rapid **R5000054**

2620 4

Pneumatic nail gun PB131, case + oil, attachments, 300x 8/30



Rapid **R5000408**

240 12

Revolverpunchstang RP03



Rapid **R5000407**

300 12

Rapid RP05

## Fence pliers



Rapid **R23467900**

280 5

Fence pliers FP216, blue/yellow



Rapid **R23468000**

200 5

Fence pliers FP20, universal



Rapid **R23468100**

280 5

Fence pliers FP222, blue/yellow



Rapid **R24311200**

200 12

Garden pliers GP238



Rapid **R40107753**

280 8


Garden pliers LIG 150



Rapid **R40107754**

350 8

Garden pliers LIG 175



## Riveters



Rapid **R5001125**

490 5

Riveter RP40 MULTI



Rapid **R5001126**

610 5

Riveter RP60 Swivel



Rapid **R5000374**

640 5

Riveter RP100



Rapid **R5000376**

750 6

Riveter RP10 Kit + 100 rivets



Rapid **R5000375**

308 6

Riveter RP60



Rapid **R21898000**

1150 5

Regulator 2000, stepless adjustable



Rapid **R24359800**


880 4

Thermal 1600, box

## Hot-air guns

A hot air gun is very versatile and can help with jobs where a direct source of intense heat is required. The ability to melt, shrink, bend or even weld materials together is extremely useful for a variety of jobs in changing conditions.






**Rapid R24928000**

338 5

Glue gun Hobby 72W incl. 6 cartridges, ø12 mm



**Rapid R40108562**

460 6

Glue gun EG310, ø12 mm



**Rapid R40302919**

324 5

Glue gun EG130, low melt, ø9 mm



**Rapid R40303007**

870 5

Glue gun EG330, ø12 mm



**Rapid R40303073**

660 3

BGX300 Li-Ion Cordless glue gun, ø12 mm



**Rapid R5000018**

1300 3

Glue gun EG380 PRO box, ø12 mm



**Rapid R5000326**

620 5

Glue gun EG320 PRO, 120watt, ø12 mm



**Rapid R5000423**

160 5

Glue gun Point, ø7 mm



**Rapid R5000424**

320 5

Glue gun EG212, ø12 mm



**Rapid R5000425**

340 5

Glue gun CG270, cordless, ø12 mm



**Rapid R5000530**

320 5

Glue gun EG212 incl. glue sticks, ø12 mm



**Rapid R40107349**

150 10

Glue sticks ø9 mm, 125gr, low temp, transparant



**Rapid R40107350**

150 10

Glue sticks ø7 mm, 125gr, transparent



**Rapid R40107356**

150 10

Rapid glue 125g ø12x94 mm Multi blister



**Rapid R40107362**

250 10

Rapid glue 250g, 190 x ø12 mm



**Rapid R40108462**

150 10

Glue sticks ø9 mm, oval, red/green/blue



**Rapid R40108463**

150 10

Glue sticks ø9 mm, oval, gold/silver



**Rapid R40302768**

1000 10

Glue sticks ø12 mm PRO-T/PVC 1 kg



**Rapid R40302777**

1000 10

Glue sticks ø12 mm PRO+ Metal, yellow, 1kg



**Rapid R40302787**

1000 10

Glue sticks 12 mm ASS/wood/tex/cork, 1kg



**Rapid R40302798**

1000 10

Glue sticks Eco-T, ø12x190 mm, 1kg



**Rapid R40302799**

1000 10

Glue sticks ø12 mm, GEN-T, 1kg



**Rapid R40302803**

1000 10

Glue sticks ø12 mm, PRO-B, white, 1kg





Rapid **R24863000**

110 120

Staples 10/4 | 5000x (39/4)



Rapid **R11825700**

220 50

Fine wire staples 13/4, galvanized, 5000x



Rapid **R11830700**

260 50

Fine wire staples 13/6, galvanized, 5000x



Rapid **R11830726**

150 50

Fine wire staples 13/6, stainless steel 2500x



Rapid **R11835600**

310 40

Fine wire staples 13/8, galvanized, 5000x



Rapid **R11835626**

150 50

Fine wire staples 13/8, stainless steel 2500x



Rapid **R11840600**

380 35

Fine wire staples 13/10, galvanized, 5000x



Rapid **R11850500**

380 25

Fine wire staples 13/14, galvanized, 5000x



Rapid **R40303081**

380 5

Fine wire staples 13/10, 5000x



Rapid **R40303082**

50 5

Fine wire staples 13/14, 5000x



Rapid **R24855600**

50 200

Staples Standard 24/6, galvanized, 1000x



Rapid **R24855700**

50 200

Staples Standard 24/6, copper plated, 1000x



Rapid **R24858100**

50 200

Staples Super Strong 24/6, stainless steel, 1000x



Rapid **R24859800**

230 40

Staples Standard 24/6, galvanized, 5000x



Rapid **R24860000**

230 40

Staples Standard 24/6, copper plated, 5000x



Rapid **R30051146**

252 60

Staples Amel 24/6, copper plated, 5000x



Rapid **R24858300**

60 150

Staples Super Strong 24/8, stainless steel, 1000x, AISI 304, CLASS 2



Rapid **R24859200**

120 80

Staples Strong 24/8, copper plated, 2000x




Rapid **R24860100**

310 10

Staples Super Strong 24/8+, galvanized 5000x



Rapid **R11884410**

620 20

Cable staples 36/10 mm DP, galvanized, box, 5x1000x

Rapid **R40109501**

80 50

Fine wire staples 53/4 mm, galvanized, 1600x

Rapid **R23808700**

260 60

Fine wire staples 53/4, galvanized, 5000x

Rapid **R11860410**

550 25

Fine wire staples 53/14, galvanized, 5000x

Rapid **R40109506**

110 5

Fine wire staples 53/14 mm, galvanized, 1080x

Rapid **R11860490**

670 20

Fine wire staples 53/16, galvanized, 5000x

Rapid **R11894301**

20 5

Fine wire staples 53/20 mm, galvanized, 1250x

Rapid **R11856250**

310 10

Fine wire staples 53/6, galvanized, 5000x

Rapid **R40109509**

80 5

Fine wire staples 53/6, stainless steel, 1080x

Rapid **R40109502**

60 5

Fine wire staples 53/6 mm, galvanized, 1080x

Rapid **R11857050**

350 35

Fine wire staples 53/8, galvanized, 5000x

Rapid **R40109503**

70 5

Fine wire staples 53/8 mm, galvanized, 1080x

Rapid **R40109504**

90 10

Fine wire staples 53/10, galvanized, 1080x

Rapid **R468080050**

192 6

Staples 58/8 mm, galvanized, box, 5000x

Rapid **R24873700**

172 60

Staples RK8 Bostitch 2115, 6 mm, 5000x

Rapid **R24873800**

150 60

Staples Standard SP19/6, galvanized, 5000x

Rapid **R11858810**

380 35

Fine wire staples 53/10, galvanized, 5000x

Rapid **R11859610**

490 30

Fine wire staples 53/12, galvanized, 5000x

Rapid **R40109505**

10 5

Fine wire staples 53/12 mm, galvanized, 1080x

Rapid **R24890200**

500 24

Staples Super Strong 73/6, galvanized, 5000x

Rapid **R24890300**

610 18

Staples Super Strong 73/8, galvanized, 5000x

Rapid **R24890400**

720 16

Staples Super Strong 73/10, galvanized, 5000x

Rapid **R24890800**

820 15

Staples Super Strong 73/12, galvanized, 5000x





Rapid **R11905711**

530 20

Flat wire staples 140/6, galvanized, 5000x

140

Rapid **R11908111**

620 20

Flat wire staples 140/8, galvanized, 5000x

140

Rapid **R11910711**

720 20

Flat wire staples 140/10, galvanized, 5000x

140

Rapid **R11910733**

150 50

Flat wire staples 140/10, stainless steel, 2000x

140

Rapid **R11912311**

830 15

Flat wire staples 140/12, galvanized, 5000x

140

Rapid **R11915611**

950 15

Flat wire staples 140/14, galvanized, 5000x

140

Rapid **R11895002**

610 6

Staples 606/12, galvanized, 4000x

606

Rapid **R40109527**

200 5

Staples 606/12 galvanized, narrow blister 1200x

606

Rapid **R11897602**

890 6

Staples 606/18, galvanized, 4000x

606

Rapid **R40109549**

148 20

Flat wire staples 970/6, galvanized, 1,34M

970

**Rapid**®  
SVENSK EFFIXITYRapid **R40100534**

1480 10

Nails 8/35, small head, galvanized, 5000x

T 8

Rapid **R40100535**

1740 6

Nails 8/40, small head, galvanized, 5000x

T 8

Rapid **R40100537**

2160 6

Nails 8/50, small head, galvanized, 5000x

T 8

Rapid **R40100532**

690 20

Nails 8/15, small head, galvanized, 5000x

T 8

Rapid **R40109533**

120 60

Nails 8/15 mm, galvanized, narrow blist, 1000x

T 8

Rapid **R40100533**

890 12

Nails 8/19, small head, galvanized, 5000x

T 8

Rapid **R40014272**

1080 12

Nails 8/25, small head, galvanized, 5000x

T 8

Rapid **R40109535**

220 20

Nails 8/25 mm, galvanized, 1000x

T 8

Rapid **R40109536**

250 20

Nails 8/30 mm, galvanized, 1000x

T 8

Rapid **R40014273**

1310 12

Nails 8/30, small head, galvanized, 5000x

T 8







Rapid **R5000817**

450

6

Nails 16A/32 mm 20°, galvanized, 2000x



Rapid **R40104405**

690

20

Nails 32/32, galvanized, superhard, 1000x



Rapid **R5000819**

1330

6

Nails 16A/45 mm 20°, galvanized, 2000x



Rapid **R5000821**

1540

6

Nails 16A/64 mm 20°, galvanized, 2000x



Rapid **R40108178**

190

5

Nagel 300/15, galvanized, 900x







Rapid **R5000383**

50

15

Rivets ø 3,2x8 mm, aluminum, incl. drill



Rapid **R5000378**

140

60

Standaard rivets Ø4,0 x 8 mm, 100 pieces



Rapid **R5000384**

90

15

Rivets ø 4x12 mm, aluminum, incl. drill



Rapid **R5000385**

90

15

Rivets ø 4x14 mm, aluminum, incl. drill



Rapid **R5000387**

120

15

Rivets ø 4,8x10 mm, aluminum, incl. drill



Rapid **R5000388**

140

15

Rivets ø 4,8x12 mm, aluminum, incl. drill



Rapid **R5000389**

140

15

Nails 8/50, small head, galvanized, 5000x



Eyelets & grommets



Rapid **R5000409**

40

12

Eyelets Ø4 mm



Rapid **R5000412**

120

12

Grommets Ø21 x 10 mm, 25 pieces



Rivets

Rivets are also called pop rivets. They are used to secure hard materials, such as steel sheets and metal objects, when only one side of the material is accessible.

80

81



Rapid  
SVENSK EFFIXITYRapid **R40108796**

130 5

Hogring VR16, 2-8 mm, galvanized, 400x

Rapid  
SVENSK EFFIXITYRapid **R40108799**

410 5

Hogring VR16, 2-8 mm, galvanized, 1390x

Rapid  
SVENSK EFFIXITYRapid **R40108808**

940 13

Hogring VR16, 2-8 mm, thickness 1.3 mm, galvanized, 3190x

Rapid  
SVENSK EFFIXITYRapid **R40108802**

180 5

Hogring VR22, 5-11 mm, thickness 1.9 mm, galvanized, green, 215x

Rapid  
SVENSK EFFIXITYRapid **R40108804**

170 5

Hogring VR22, 5-11 mm, galvanized, black, 215x

Rapid  
SVENSK EFFIXITYRapid **R40108806**

990 5

Hogring VR22, 5-11 mm, thickness 2 mm, galvanized, 1100x

Rapid  
SVENSK EFFIXITYRapid **R40108807**

860 5

Hogring VR22, 5-11 mm, thickness 1.9 mm, galvanized, green, 1100x

Rapid  
SVENSK EFFIXITYRapid **R40108810**

1450 5

Hogring VR22, 5-11 mm, thickness 2 mm, galvanized, 1600x

Rapid  
SVENSK EFFIXITYRapid **R40108811**

1260 5

Hogring VR22, 5-11 mm, thickness 1.9 mm, galvanized, green, 1600x

Rapid  
SVENSK EFFIXITYRapid **R40109236**

240 5

Hogring VR38 4-14 mm, thickness 1.3 mm, galvanized, 300x

Rapid  
SVENSK EFFIXITYRapid **R40107757**

3050 4

Hogring C50, steel, thickness 1.3 mm, 4.200x

Rapid  
SVENSK EFFIXITYRapid **R40107759**

3050 4

Hogring C75, 6-18 mm, 1.3 mm, steel, 6000x

Rapid  
SVENSK EFFIXITYRapid **R40108809**

830 5

Hogring VR16, 2-8 mm, thickness 1.3 mm, galvanized, green, 3190x

Rapid  
SVENSK EFFIXITYRapid **R40017338**

1290 50

Hogring VR22 5-11 mm black 1600x

Rapid  
SVENSK EFFIXITYRapid **R40108801**

20 5

Hogring VR22, 5-11 mm, thickness 2 mm galvanized, 215x

Rapid  
SVENSK EFFIXITYRapid **R40107761**

3700 4

Hogring C85, 6-20 mm, 1.3 mm, steel, 5000x





Dimartino is a certified company that for over 50 years has specialized in the production of high-tech items in plastic, designed and manufactured in Italy with respect for the environment. Items intended for the garden, vegetable garden and small-scale agriculture, and perfect for hobby work and professionals.

Di Martino **TS0010** 26

Garden sprayer Conico 0,5L (ISO9001)

Di Martino **TS0015** 23

Garden sprayer Conico 1L (ISO9001)

Di Martino **TS0030** 12

Garden sprayer Garden 1500 1,5L (ISO9001)

Di Martino **TS0035** 9

Garden sprayer Garden 2000 2L (ISO9001)

General terms and conditions of sale and delivery of Westparts B.V. in Wieringerwerf, The Netherlands

For the private owned company with limited responsibility WESTPARTS B.V., by law established in Hoom, with office space in 1771 SP Wieringerwerf, De Stek 7.

**Article 1.** Validity of these terms and conditions  
These terms and conditions are valid for every offer and/or every agreement between Westparts B.V. hereinafter referred to as "Westparts", and customers who have been informed about the terms and conditions, as long as none of the parties have denied in writing the validity of the terms. If one or more articles are regarded as invalid, the remaining articles remain valid.

**Article 2.** Offers and agreements  
1. All offers are without obligations, unless otherwise explicitly agreed upon in writing. Westparts has the right to withdraw any given offer within two working days after acceptance.  
2. Agreements are valid only upon written confirmation from Westparts to the customer; this also concerns agreements made through an intermediary.

**Article 3.** Delivery  
The customer is obligated to accept the products when these are delivered to him, or when the products are made available to him according to the agreement.  
If the customer refuses to do so, or is late with passing on information or instructions essential for the delivery, the products will be stored at the customers risk. The customer will in this case be responsible for all possible costs in this connection, and at least the storage costs.

**Article 4.** Delivery time  
Any dates quoted for delivery are approximate only, unless otherwise has been agreed upon. If otherwise has been agreed upon, and Westparts do not deliver on time, the customer is obligated to hold Westparts liable in writing.

**Article 5.** Back orders / partial deliveries  
Westparts has the right to deliver partially. This does not apply if the partial delivery has no independent value. If the products are delivered partially, Westparts has the right to invoice each delivery independently.

**Article 6.** Technical requirements etc.  
If the products delivered in the Netherlands are to be used outside the Netherlands, Westparts is responsible for that the delivered products are in accordance with the technical requirements and/or standards that are demanded by laws or regulations in the country where the products are to be used, if the information regarding use in another country has been given upon finalizing the contract. All other technical requirements the customer has regarding the-to-be-delivered products and which differ from the normal standards, must be explicitly informed upon the finalizing of the contract.

**Article 7.** Changes  
Westparts has the right to deliver products that differs from the products described in the sales contract.  
If Westparts uses this right, and delivers a product that substantially differs from the product agreed upon, the customer has the right to annul the contract. The customer has the right to do so within 14 days after delivery date, or when he should have noticed the substantial differences.

**Article 8.** Termination of the contract  
1. Westparts' claims towards the customer are immediately effective in case of the following circumstances:  
-if after finalizing the agreement, Westparts receives information that gives Westparts reason to believe that the customer will not fulfil his obligations  
-if Westparts has asked the customer for security for the order when finalizing the contract, and security has not been given or is unsatisfactory.  
In case of the above mentioned circumstances, Westparts has the right to delay further execution of the agreement, as well as annul the agreement. This does not effect Westparts' rights for compensation.  
2. In case of unexpected circumstances having influence on persons and/or materials used or planned used by Westparts when carrying out the agreement, and if the unexpected circumstances are of such kind that it makes the execution impossible or utterly difficult, and/or leads to such costs that the carrying out of the agreement can not be reasonably defended, Westparts has the right to annul the agreement.

**Article 9.** Warranties  
1. Westparts is not responsible for production faults concerning the delivered goods.  
2. Westparts delivers goods with normal factory warranties and the production units are thus responsible in all cases.

**Article 10.** Ownership  
1. Products delivered by Westparts remains property of Westparts until the customer has fulfilled all responsibilities regarding all final contracts and agreements with Westparts:  
-any in return commitments with reference to delivered products or products to be delivered  
-potential claims due to the customer not having fulfilled his commitments according to the agreement  
2. Products delivered by Westparts falling under 10.1, can only be re-sold within a framework of a normal company management.  
The customer does not hold any authority to pawn or to establish any rights on the products.  
3. In case the customer does not live up to his responsibilities or there is a reasonable doubt regarding whether or not he will do so, Westparts has the right to remove or have removed products falling under article 10.1, from either the buyer or any third party holding the products in stock. The customer is legally bound to fully co-operate under penalty of a daily fine of 10% of the amount still to be paid.  
4. If a third party wants to establish any rights on the under the rights of ownership delivered goods, the buyer is legally bound to inform Westparts as soon as in fairness can be expected.  
5. The customer is obliged to:  
-insure and to keep insured the under the rights of ownership delivered good against fire-, explosion-, and water damage and against theft and to hand over the insurance policy for inspection if requested to do so.  
-to pawn all claims from the customer to the insures in connection to the under the rights of ownership delivered goods, to Westparts in the way that is prescribed in art. 3:239 BW.  
-to mark all under the rights of ownership delivered goods as Westparts property.  
-to lend cooperation in other ways to all reasonable measures that Westparts will take safeguarding her rights of ownership in connection with the goods and which do not unreasonably harm the customer in the normal practise of his company.

**Article 11.** Complaints  
1. The customer needs to (let) check the purchased goods up on delivery or as soon as possible after the delivery. The customer has to check if the delivered goods answers to the agreed upon, namely:  
-if the correct goods have been delivered  
-if the delivered goods answer to the agreed upon quantity  
-if the delivered goods meet the agreed upon quality requirements or  
-if these are lacking - if they do meet the demands one may have for normal use and/or commercial purpose  
2. If visible faults or shortages are established the customer has to inform Westparts within 8 days after delivery.  
3. Non visible faults have to be informed in writing within 8 days to Westparts, after the establishing of the faults, yet at the very latest within the given factory guarantee.  
4. Also when the customer complains in time, his obligation to payment and the purchase of the ordered goods stays valid.  
Goods can only be returned to Westparts after the foregoing permission in writing.

**Article 12.** Price increase  
If Westparts has a special price agreement with a customer, Westparts nevertheless has the right to raise her prices, and has the right to charge the prices according to her valid pricelist upon delivery. If the price increase is more than 10%, the customer has the right to annul / disband the agreement.

**Article 13.** Packaging  
The customer is obliged to return the transport packaging empty and undamaged within 30 days. If the customer does not meet his obligations with regards to the packaging, all extra costs to follow, will be for his own account. Such costs may be: costs due to late return shipment, costs of replacement, repair or cleaning.

**Article 14.** Payment  
1. Unless otherwise expressly stated payment for the goods is due no later than 30 days after invoice date:  
-by legal currency to Westparts by  
-by transferring the due amount to the informed account numbers in property of Westparts  
If full payment is not made by the due date, the buyer will automatically be in omission, and will be charged with an extra 1% interest per month, based on the amount he has to pay.  
2. In case of liquidation, bankruptcy, delay of payment from the customer, the obligations will be immediate effective.  
3. Payment should be made without discounts or settlement.  
4. Payment made by customer will first serve to settle all unpaid interest and costs, and then to settle the oldest invoice due, even if the customer states that payment is meant for a later invoice.

**Article 15.** Collection costs  
1. If the customer is inadequately or neglectful in carrying out his obligations, all reasonable extra costs for collecting the payment will be for the customers account. The minimum costs will be;  
-Up till € 2.950,- 15%  
-From above amount and up till € 5.900,- 10%  
-From above amount and up till € 14.750,- 8%  
-From above amount and up till € 58.990,- 5%  
-From above amount and up 3%  
If Westparts can document higher costs made in connection with collecting the money, which were necessary and also reasonable, these costs will also be for the customers account.  
2. All judicial and extrajudicial collection costs that Westparts makes, are all to be paid by customer.  
This is applicable only in case of a legal process

**Article 16.** Liability  
Westparts is to the customer only liable:  
1. For damage due to shortcomings in the delivered goods concerns only the liability as settled in article 9 of these General Terms and Conditions,  
2. Westparts is liable if damage has been caused by intention or crude guilt of Westparts or her executive inferiors.  
3. The liability of Westparts is limited to the amount stated by the insurance, as far as the liability is covered by the insurance.  
4. If the insurance in any case does not cover or does not proceed with payment, the liability will be limited to the invoice amount or if no invoice is existing the value of the agreed upon achievement.

**Article 17.** Force Majeure  
1. Under force majeure is to be understood:  
Circumstances that will unable the fulfillment of the agreement, which are not ascribable to Westparts. Among these the following will be included (if and as far as these circumstances make the fulfillment impossible or unreasonably complicated):  
strikes in other companies than Westparts', wild strikes or political strikes; general shortage or lack of necessary raw materials and other goods or services that are necessary to reach the agreed upon performance; not foreseen stagnation in connection with suppliers or other third parties who Westparts is depending on and general problems in transport.  
2. Westparts also has the right to refer to force majeure if circumstances that unable the fulfillment occur after Westparts should have met her obligations.  
3. During the period of force majeure the deliveries and other obligations of Westparts will be postponed. If this period due to force majeure which in Westparts is not able to meet her obligations, lasts longer than 3 months, both parties are entitled to annul the agreement, without any obligations with regards to compensation.  
4. If Westparts in the beginning of the period of force majeure already partially has fulfilled her obligations, or is able to fulfil her obligations only partially, Westparts has the right to invoice the partially delivered goods, or the goods that are to be partially delivered, and is the customer obligated to regard this invoice as a separate contract. This does not apply if the partial delivery has no independent value.

**Article 18.** Disputes  
As a deviation from the statutory rules for the authorities of the civil court, all disputes between the customer and Westparts, as long as the court has the necessary authorities, will be settled by the Civil Court in Alkmaar. Nevertheless Westparts has the authority to summon the buyer to an according to the law or the applicable international treaty qualified court.

**Article 19.** Applicable law  
All relationships between Westparts and the customer will be governed by Dutch law.

**Article 20.** Changes in the General terms and conditions  
Westparts has the right to change the General terms and conditions. The changes will come into force on the announced time of commencement.  
Westparts will send the renewed terms and conditions to the customers in time. If no time of commencement has been announced to the customer, the changes will come into force as soon as the customer has received the announcement.

**Article 21.** Translations  
In case of conflict between a translation and the Dutch version of these terms and conditions, the Dutch text shall prevail.

The above terms and conditions have been deposited with the Chamber of Commerce at Alkmaar under number 36040554.1781









**Visiting address**

De Stek 7  
1771 SP Wieringerwerf  
Nederland

**Postal address**

Postbus 33  
1770 AA Wieringerwerf  
Nederland

**Contact**

T. +31 (0)227 60 15 00  
F. +31 (0)227 60 38 00

**General:**

[info@westparts.com](mailto:info@westparts.com)

**Sales:**

[sales@westparts.com](mailto:sales@westparts.com)

**Service:**

[service@westparts.com](mailto:service@westparts.com)

Visit our website for  
all detailed product information

**[www.westparts.com](http://www.westparts.com)**

