



150  
ANNIVERSARY



**ARS 1876 以来**

SINCE  
1876

JAPANESE TOP QUALITY CUTTING  
AND SAWING TOOLS.



VIEW ALL THE DETAILED PRODUCT INFORMATION AT [WWW.ARSTOOLS.EU](http://WWW.ARSTOOLS.EU)

# ARS Tools. Japanese top quality since 1876. That's 150 years!

## User

What is important when using products? Right, a top product at an affordable price, a high level of quality, good service from the manufacturer and a satisfied feeling.

An ARS customer gets a product that matches the high level of expectations of today's user. Only with these qualities can ARS compete. If you go for quality and want only the best, you have come to the right place with ARS!

## Quality

ARS has long been known as the most exclusive and high-quality pruning tools, for both the professional user and the quality-conscious individual. Using only high-quality steel, ARS excels with its quality.

For almost all ARS products, all parts are available separately. ARS stands for quality and offers the user a guarantee against manufacturing defects for up to 25 years!

## Future

With its sophisticated supply programme, ARS is truly at home in all markets. ARS is the only supplier in the world with such a high-quality and at the same time broad package, making it unique of its kind.

Through constant refinement of the quality and expansion of the ARS is always one step ahead. ARS guarantees every user a good result for now and in the future!



## Steel grade

ARS has worked with various steel manufacturers to develop the most suitable steel developed for its products. The steel must meet ARS's high standard, which is above that of the JIS (Japan Industrial Standard).

## Hard chromed

This method offers high hardness, rust resistance, sharp looks and superior durability. The smooth surface also prevents juices sticking to the blades, ensuring maximum performance of your ARS tools.

## Design and ergonomics

Ergonomics, economy and durability are key features of ARS products, which are developed by experienced, trained professionals. developed by experienced, trained profes-

## Impulse hardened

The innovative "Impulse Hardening" method, involves heating and cooling the steel, within thousands of a second, by using the impact of high-frequency current. This makes it enabled to achieve hardness from 900HV to 950HV on the Vicker scale while maintaining high elasticity. Impulse hardened blades therefore last about three times longer under normal conditions.

## ARS sharpening method

ARS saw blades are thinner at the back of the blade and thicker at the saw teeth, ensuring minimal resistance. The blades are sharpened by fully automated grinding machines, to always achieve the same, perfect result.

## Product icons

 H	Hard chromed	 Turbocut
 B	Black coated	 Super Turbocut
 N	Chemical nickel plated	 Impulse hardened
 F	Fluorcarbon coated	 Tooth setting (mm)
 C	Carbon hardened steel	 Tooth thickness (mm)
 S	Stainless steel	 Total length (mm)
 C	Curvature ground	 Weight (gram)
 T	Taper ground	 Spare blade
 KWF	Quality label from the German KWF	 Max. pruning thickness (mm)
 P	Packaging	 Spare parts available
		 Size of hands

## Product line

4 - 5

## Pruning shears

6 - 9

## Telescopic long reach shears

10 - 11

## Long reach shears

12 - 13

## Loppers

14 - 15

## Battery-powered pruner

16 - 19

## Hedge trimmers

20

## Pruning saws

21 - 25

## Foldable pruning saws

26 - 27

## Telescopic poles

28

## EXP-series

29

## EXP saw assembly

30

## Pruning at height

31 - 33

## Harvesting shears

34 - 35

## Craft scissors

36 - 37

## For the florist

38

## Accessories

39

## Promotion

40 - 41

## Notes

42

## Terms & conditions

43

# ARS, the most exclusive and high-quality pruning tools

## Pruning shears

Ergonomics comes naturally with ARS secateurs. A complete range of secateurs for all kinds of pruning work for the professional user. Using only high-quality steel, ARS excels in quality.

## Loppers

Loppers in various sizes with varying cutting capacities. Due to the friction-reducing coating, cutting with ARS is super easy.

Visit [www.arstools.eu](http://www.arstools.eu) for all detailed product information

## Hedge trimmers

Craftsmanship requires specialist tools, comfortable handles and razor-sharp blades for a clean cut: so ARS!

## Scissors

The original ARS fruit cutters are available in various versions available, in both red and the unique HACCP blue. Much imitated, but not equalled. You will also find a large collection of scissors for various jobs.

## Long reach shears

With ARS long-arm shears, you will find only quality, for pruning work at great heights. The unique long-arm shears are available in various lengths and designs.





## ARS, very well-tested!

The German "Kuratorium Fur Walddarbeit und Forst technik" KWF, has tested several ARS products tested. These were pruning shears, hand saws and pole saws that were subjected to a thorough test in German forestry. All tested products were awarded the coveted KWF seal of approval.

In this ARS catalogue, you will be able to find all these products, accompanied by the seal of approval. We cordially invite you to use these products in person and convince yourself of ARS quality.



### Pruning saws

A wide variety of pruning saws of very high quality. A class product, forzien of the innovative tooth setting and friction-reducing notches. ARS is the inventor of the "PULL SAW" method or the pull saw.

### Telescopic poles and pole saws

Should you not be able to work high enough with the long arm saws, you certainly can with the telescopic handles and pole saws, as the length varies from 1.4 to as much as 5.6 metres. Using only high-quality steel, lightweight aluminium and the unique toothing also makes cutting at height easier.

**ARS**  
Cut Above the Rest

HEADQUARTERS IN  
OSAKA, JAPAN



# The unique VS series

Your shoes should have the right size, right?  
So should your pruning shears.



VS-7XR

5/50

EAN 4965280679345



Pruning shears 180 mm, S, rotating handle, red/black

H C 180 250



VS-7X-2 / VS-7X-3



VS-8XR

5/50

EAN 4965280679390

Pruning shears 200 mm, M, rotating handle, red/black

H C 200 265



VS-8X-2 / VS-8X-3



VS-9XR

5/50


EAN 4965280679529

Pruning shears 227 mm, L, rotating handle, red/black

H C 227 310



VS-9X-2 / VS-9X-3



## Unlocked by squeezing

The safety lock is designed so that the scissors do not unlock unintentionally in the holster or pocket and do not lock while pruning.



## Ergonomics

The rotating handle moves with the fingers with every pruning motion, eliminating friction and eliminating friction. This prevents blisters and reduces injuries.



## Replaceable parts

The extra-hardened and hard chrome-plated upper blade, or even the entire pruning head, is easy to replace.



VS-7XZ

5/50

Pruning shears 180 mm, S, red

**H** **C** 180 212 VS-7X-2 / VS-7X-3

EAN 4965280679338



VS-8XZ

5/50

Pruning shears 200 mm, M, red

**H** **C** 200 220 VS-8X-2 / VS-8X-3

EAN 4965280679383



VS-9XZ

5/50

Pruning shears 227 mm, L, red

**H** **C** 227 257 VS-9X-2 / VS-9X-3

EAN 4965280679512

AFFORDABLE  
QUALITY

FB-7

5/50

Pruning shears 180 mm, S, red

**H** **C** 180 180




FB-8

5/50

Pruning shears 230 mm, M, red

**H** **C** 230 200

REPLACEABLE  
BLADES

CB-8Z

5/50

Pruning shears 200 mm, S, red

**H** **C** 200 190 CB-8Z-1 / CB-8Z-2 / CB-8Z-3



CB-9Z

5/50

Pruning shears 230 mm, M, red

**H** **C** 230 210 CB-8Z-1 / CB-8Z-2 / CB-8Z-3





VA-SERIES WITH ANVIL



VA-7Z

5/50

Pruning shears 180 mm, anvil, red

F C 180 215 Knife VA-7Z-1

EAN 4965280679703



VA-8Z

5/50

Pruning shears 205 mm, anvil, red

F C 205 235 Knife VA-8Z-1


EAN 4965280679741



# VA-series

The ARS pruning shears range includes two anvil models: the VA-7Z and VA-8Z. These ergonomic pruning shears have fluorocarbon-coated blades and are balanced to reduce fatigue during prolonged use. The anvil makes it easier to cut thick branches. This secateurs is also very suitable for left-handed use.

ALL PARTS AVAILABLE

ALSO FOR  
LEFT-HAND  
USE

**120EU-R**

Rose pruner 210 mm, red

H C 210 230 5/50

EAN 4965280652089

**140DX**

Pruning shears 184 mm, red

H C 184 150 5/50

EAN 4965280656087

**140L-DX**

Pruning shears 200 mm, white

H C 200 150 5/50

EAN 4965280656803

**120DX**

Pruning shears 195 mm, red

H C 195 160 5/50

EAN 4965280652003

**120EU**

Pruning shears 210 mm, red

H C 210 230 5/50

EAN 4965280652027

**130DX**

Pruning shears 184 mm, red

H C 184 165 5/50

EAN 4965280654083

**130DX-V****130DX-G****130DX-W****130DX-Y****130DX-P**

# Cut and Hold

## ZF-series

- Light weight
- Telescopic
- Extremely rigid
- Ergonomic design
- 180° rotatable handle
- Pruning up to 5 meters in height

### 160-SERIES WITH CUT & HOLD



↑ TELESCOPIC - FROM 1260 MM TO 2010 MM ↓



↑ TELESCOPIC - FROM 1762 MM TO 3010 MM ↓



EAN 4965280684554

160ZF-2.0-3

2/10

Telescopic cut & hold pruner 1260 - 2010 mm, red/grey

[H] [C] 1260 ~ 2010 950 [ ] 160ZR-1

10



EAN 4965280684511

160ZF-3.0-5

2/10

Telescopic cut & hold pruner 1762 - 3010 mm, red/grey

[H] [C] 1762 ~ 3010 1200 [ ] 160ZR-1

10





180-SERIES WITHOUT  
CUT & HOLD



180ZF-2.0-3

2/10

Telescopic pruner 1260 - 2010 mm, red/grey

[H] [C] 1260 ~ 2010 [935] [pruner] [180ZR-1]

EAN 4965280733597



20

EAN 4965280733603



20



180° ROTATABLE  
HANDLE

TELESCOPIC - FROM 1762 MM TO 3010 MM



180ZF-3.0-5

2/10

Telescopic pruner 1762 - 3010 mm, red/grey

[H] [C] 1762 ~ 3010 [1185] [pruner] [180ZR-1]

### Long reach features

ARS long arm shears are made of lightweight aluminium. The cutting blades are hardened chrome-plated, making them resistant to corrosion. The comfortable handles are ergonomic and therefore reduce the risk of injury.

The 180°rotating handle allows you to determine the correct pruning position without putting unnecessary strain on the wrist.

The 160 series consists of a number of long-arm pruning shears, which are equipped with a cutting head with grip blocks, called "Cut & Hold". This allows you to collect the cut products such as fruit and flowers in a controlled way.

The 180 series consists of a number of long arm pruning shears which are equipped with a cutting head suitable for all pruning work at height.





Handle is not rotatable

160U-0.7

2/10

EAN 8715397007496



15

Lily pruner 700 mm, red/grey

H C 700 405 160U-1

## Cut & hold shears



EAN 4965280685407

160-0.35

2/10

Rose pruner 350 mm, cut & hold, red/grey

H C 350 340 160-1

10

EAN 4965280685506

160-0.6

2/10

Long reach cut & hold shears 600 mm, cut & hold, red/grey

H C 600 395 160-1

10

EAN 4965280685605

160-1.2

2/10

Long reach cut & hold shears 1200 mm, cut & hold, red/grey

H C 1200 560 160-1

10



EAN 4965280685193

150-0.6

2/10


Rose pruner 617 mm, cut & hold, red/grey

H C 617 325 150-1

10

### 180° ROTATING HANDLE





## 160R-1.8

2/10

EAN 4965280685216

Long reach cut & hold shears 1817 mm, cut & hold, red/grey  
 [H] [C] 1817 710 160ZR-1

10

## 180R-1.8

2/10

EAN 4965280735300

Long reach pruning shears 1817 mm, red/grey  
 [H] [C] 1817 695 180ZR-1

20

## For heavier pruning work



## 180LR-1.2

2/10

EAN 4965280444516

Long reach pruning shears 1246 mm, red/grey

[H] [C] 1246 730 180L-1

22

## 180LR-1.8

2/10

EAN 4965280444523

Long reach pruning shears 1846 mm, red/grey

[H] [C] 1846 870 180L-1

22

Long reach pruning shears 2146 mm, red/grey

## 180LR-2.1

2/10

EAN 4965280444530

[H] [C] 2146 950 180L-1

25



## LP-series

- Light weight
- Oval handles
- Double bumper
- Forged blades
- Carbon hardened steel
- Up to Ø 50mm branch thickness



EAN 4965280448293

LPB-20S

1/10

Loppers 476 mm, red/grey

B C 476 825 825 LPB-20-1 / LPB-20-2

30



EAN 4965280448309

LPB-20M

1/10

Loppers 624 mm, red/grey

B C 624 940 940 LPB-20-1 / LPB-20-2

32



EAN 4965280448316

LPB-20L

1/10

Loppers 772 mm, red/grey

B C 772 1055 1055 LPB-20-1 / LPB-20-2

34



LPB-20-1



LPB-20-2

Suitable for LPB-20 serie

# Long reach loppers



**LPB-30S** 1/10 EAN 4965280448323

Loppers 482 mm, red/grey LPB-30-1 / LPB-30-2

**LPB-30M** 1/10 EAN 4965280448330

Loppers 630 mm, red/grey LPB-30-1 / LPB-30-2

**LPB-30L** 1/10 EAN 4965280448347

Loppers 778 mm, red/grey LPB-30-1 / LPB-30-2

**LP-40** 1/10 EAN 4965280448231

Loppers 800 mm, XL, red/grey LP-40-1 / LP-40-2

**LPA-30L** 1/10 EAN 4965280448262

Loppers 806 mm, XL, red/grey LPA-30-1 / LPA-30-2

**LPB-30-1**

**LPB-30-2**

Suitable for LPB-30 serie

**185-1.5** 10 EAN 4965280683700

Long reach loppers 1500 mm 185-1

**185-1.8** 10 EAN 4965280683731

Long reach loppers 1800 mm 185-1



Scan for  
product details

# EP-719

The ARS EP-719 is a professional, compact and lightweight cordless pruning shear with premium Japanese blades and a powerful cutting capacity of up to 25 mm. Its low weight and excellent balance make it comfortable to use while reducing strain on the wrist and arm during long working hours. The adjustable cutting capacity (15 mm and 25 mm) allows for fast, precise pruning on both fine and thicker branches.

- **Lightweight design → reduced strain on wrist**
- **Triple-ground Japanese blade + patented lower blade**
- **Adjustable cutting capacity 15 and 25 mm**
- **Up to 20% lighter than comparable models**
- **Display with status, no. of cuts and opening indicator**
- **Cuts per battery charge | +/- 3.500 times**
- **Cutting speed | 30 times per minute**
- **Includes two batteries with charger and tools**

EP-719

5

Battery-powered pruner EP-719, red/black

295

EAN 4965280810250



25



# EP-720



Scan for  
product details



The ARS EP-720 is a professional, compact and remarkably lightweight cordless pruning shear that excels in power, precision and efficiency. Thanks to its triple-ground Japanese blade and patented lower blade, it cuts with noticeably less resistance than many other pruning shears. This reduced cutting resistance means the motor doesn't have to work as hard and less power is drawn from the battery, resulting in longer runtime per charge and smoother operation.

- **Lightweight design → reduced strain on wrist**
- **Triple-ground Japanese blade + patented lower blade**
- **Adjustable cutting capacity 15 and 25 mm**
- **Brushless motor**
- **Display with status, no. of cuts and opening indicator**
- **Cuts per battery charge | +/- 3.500 times**
- **Cutting speed | 30 times per minute**
- **Includes two batteries with charger and tools**



EP-720



EAN 4965280810083

Battery-powered pruner EP-720, red/black



30



Scan for  
product details



The ARS EP-721 is the most powerful hand pruner in the EP series, combining maximum cutting strength with outstanding precision and Japanese blade excellence. This professional cordless pruning shear features a stepless adjustable cutting capacity of up to 40 mm, allowing smooth transitions between thin and thick branches without losing power. Its triple-ground Japanese steel blade stays exceptionally sharp and delivers minimal cutting resistance.

- **Lightweight design → reduced strain on wrist**
- **Triple-ground Japanese blade + patented lower blade**
- **Adjustable cutting capacity 15 and 25 mm**
- **Brushless motor**
- **Display with status, no. of cuts and opening indicator**
- **Cuts per battery charge | +/- 3.500 times**
- **Cutting speed | 30 times per minute**
- **Includes two batteries with charger and tools**



EP-721

5

EAN 4965280810502



Battery-powered pruner EP-721, red/black

C 286 1015

40



**ET-720 | 0.9/1.2/1.7/2.3**

# ET-720-0.9/1.2/1.7/2.3

The ARS ET Series consists of professional, compact and well-balanced battery-powered long-reach pruning shears, designed for safe and comfortable pruning from the ground. Depending on the model and user height, they offer an effective working reach of up to approximately 4.3 meters.

All ET models feature the same high-end technology as the ARS EP hand pruners. Ultra-sharp Japanese triple-ground blades ensure clean, precise cuts with minimal effort. A 270° rotating pole and a 15° cutting head angle provide excellent ergonomics, while the bottom-mounted motor lowers the center of gravity for a lighter, better-balanced feel during use.

- **Japanese blades + patented lower blade**
- **270° rotatable pole**
- **15° cutting head angle**
- **Bottom-mounted brushless motor**
- **Display with battery status, no. of cuts and opening indicator**
- **Working continuously for 3 to 4 hours**



## ET-720-0.9

Battery-powered long reach pruner, 900 mm



## ET-720-1.2

Battery-powered long reach pruner, 1200 mm



## ET-720-1.7

Battery-powered long reach pruner, 1700 mm



## ET-720-2.3

Battery-powered long reach pruner, 2300 mm



Scan for  
product details





## KR-1000L

5/20

EAN 4965280681058

Hedge trimmer 750 mm with a blade length of 180 mm, red/grey

H C 750 840 KR-1000-1

10



## K-800

5/20

EAN 4965280682512

Hedge trimmer 500 mm with a blade length of 150 mm, red/grey

N C 500 550

6



## ← TELESCOPIC – FROM 720MM TO 1050 MM →

## K-900Z

5/20

EAN 4965280682543

Telescopic hedge trimmer 720 - 1050 mm with a blade length of 150 mm, red/grey

N C 720 ~ 1050 980

6



## KR-1000

5/20

EAN 4965280681027

Hedge trimmer 653 mm with a blade length of 180 mm, red/grey


H C 653 780 KR-1000-1

10



## KR-1000

The hard chrome-plated, double-ground and replaceable blades ensure optimal results. This innovative ultra-lightweight hedge trimmer with ergonomic, slightly curved handles offer you maximum comfort. All ARS hedge trimmers are precision tools and are ideal for fine work.





TL-24

5/50

EAN 4965280045003



Pruning saw, adjustable in two positions, with a blade of 240 mm + holster, black/grey

N C I M S 3.5 A 406 190 TL-24-1 95 krf



TL-27

5/50

EAN 4965280046000



Pruning saw, adjustable in two positions, with a blade of 270 mm + holster, black/grey

N C I M S 3.5 A 437 200 TL-27-1 105 krf



TL-30

5/50

EAN 4965280047007



Pruning saw, adjustable in two positions, with a blade of 300 mm + holster, black/grey

N C I M S 3.5 A 465 210 TL-30-1 120 krf



### What is Super Turbocut?

The Super Turbocut saw blades have an extra notch, a fine tooth setting and are extra sharpened. The notches ensure that the trimmings are removed more easily. This is particularly beneficial when cutting wet or fresh wood.



SUPER  
TURBOCUT



CAM-18PRO

5/50

EAN 4965280025012



Pruning saw PRO with a blade of 180 mm + holster, red/black

H C I M S 4 A 360 250 18PRO-1 70 krf



CAM-24PRO


5/50

EAN 4965280028013



Pruning saw PRO with a blade of 240 mm + holster, red/black

H C I M S 4 A 414 280 24PRO-1 95 krf



- Minimum resistance
- Clean cut
- Ergonomic design
- Pull-Saw method
- Interchangeable saw blades
- Significantly longer sharpness

### Triple ground teeth

The taper and curvature ground ARS blades are precisely shaped and have a razor-sharp tooth setting.

The uniquely patented blades leave a remarkably clean cut. Due to the very sharp teeth and the patented sharpening method, a pulling sawing motion ("Pull-Saw" method) requires much less effort compared to conventional pruning saws. The hard chrome-plated blades offer high hardness, rust resistance, sharp looks and superior durability. The smooth surface also prevents juices from sticking to the blades.



**UV-32E**

5/50

Pruning saw with a blade of 320 mm + holster, red/black



UV-32E-1 125 kwf

EAN 4965280444233



**UV-32E-W**

5/50

Pruning saw with a blade of 320 mm + holster, red/black



EAN 4965280439086




**CTR-32PRO**

5/50

EAN 4965280439161

Pruning saw PRO with a blade of 320 mm + holster, grey/black  
 CTR-32PRO-1 125 KWF


**UVR-32PRO**

5/50

EAN 4965280439185

Pruning saw PRO with a blade of 320 mm + holster, grey/black  
 UVR-32PRO-1 125 KWF


**CT-32E-W**

5/50

EAN 4965280439086

Pruning saw PRO with a blade of 320 mm + holster, wood  
 CT-37PRO-1 125 KWF


**PRO-ST**

5/50

EAN 4965280997142

Set of two legstraps for PRO-serie saws, 580 mm, black  
 580



CT-37PRO

5/50

EAN 4965280439123



Pruning saw PRO with a blade of 370 mm + holster, grey/black

CT-37PRO-1 145 kwf



CT-42PRO

5/50

EAN 4965280439147

Pruning saw PRO with a blade of 420 mm + holster, grey/black

CT-42PRO-1 165 kwf



UV-37PRO

5/50

EAN 4965280444028

Pruning saw PRO with a blade of 370 mm + holster, grey/black

UV-37PRO-1 145 kwf



UV-42PRO

5/50

EAN 4965280444042

Pruning saw PRO with a blade of 420 mm + holster, grey/black

UV-42PRO-1 165 kwf



CAM-18LN

10/50

EAN 4965280425607

Pruning saw with a blade of 180 mm + holster, red



18LN-1

70



CAM-24LN

10/50

EAN 4965280428608

Pruning saw with a blade of 240 mm + holster, red



24LN-1

95



DUKE-25

10/50

EAN 4965280448002

Pruning saw with a blade of 250 mm + holster, red



ARS DUKE-25-1

100



PS-25KL

10/50


EAN 4965280413802

Pruning saw with a blade of 250 mm, wood



25KL-1

100



SH-25

Holster for PS-25KL, wood

SH-32

Holster for PS-32LL, wood



PS-32LL

10/50

EAN 4965280420701

Pruning saw with a blade of 345 mm, wood



32LL-1

135





G-17

5/50/100

EAN 4965280440020

Foldable pruning saws with a blade of 170 mm, red/black



GR-17

5/50/100

EAN 4965280440037

Foldable pruning saws with a blade of 170 mm, red/black



G-18L

5/50/100

EAN 4965280440006

Foldable pruning saws with a blade of 180 mm, red



GR-18L

5/50/100

EAN 4965280440013

Foldable pruning saws with a blade of 180 mm, red



210DX

5/50/100

EAN 4965280005007

Foldable pruning saws with a blade of 165 mm, red



TWO POSITIONS



EAN 4965280001603

PM-21

5/50

Foldable pruning saws, adjustable in two positions, with a blade of 210 mm, black



TWO POSITIONS

PM-24

5/50

Foldable pruning saws, adjustable in two positions, with a blade of 240 mm, black







## EXP-series

- Light weight
- Telescopic
- Extremely rigid
- Multifunctional
- Very well tested
- Sawing up to 7 meters in height

## EXW pole saws



**EXW-1.8** 5/20

Telescopic pole saw with a blade of 300 mm, red/grey



**EXW-2.7** 5/20

Telescopic pole saw with a blade of 300 mm, red/grey



EAN 4965280057020





## Features

The hook (A) at the end of the blade is useful for removing climbing plants and cutting thin branches.

The SUPER Turbocut saw teeth (B) ensure effortless cutting at high altitudes. The saw is easy to change using the unique ARS click system.

The bark cutter (C) prevents tearing off the remaining bark after cutting the branch. cutting the branch. It is also useful for removing thin branches and other unwanted growth. The hollow shape at the back of the bark cutter also serves also serves as a suspension hook during work.

The multi-part handles (D) can be easily extended to different lengths by means of locking knobs and safety levers. can be easily extended to different lengths.

### EXP-3.3

Telescopic pole EXP 1405 - 3288 mm, red/grey

1405 ~ 3288 1530 5/10

EAN 4965280446077



### EXP-4.5

Telescopic pole EXP 1838 - 4560 mm, red/grey

1838 ~ 4560 1720 5/10

EAN 4965280446022




### EXP-5.5

Telescopic pole EXP 2175 - 5605 mm, red/grey

2175 ~ 5605 2100 5/10

EAN 4965280446053



## EXW-UV/CT pole saws



### EXW-UV-1.8/2.7

5/20

Telescopic pole saws with a blade of 340 mm, red/grey

H C 4 1.8 1200 ~ 2700



### EXW-CT-1.8/2.7

5/20

Telescopic pole saws with a blade of 340 mm, red/grey

H C 4 1.8 1200 ~ 2700





## Assembling the right telescopic saw yourself

With a wide range of 32 cm saw blades, ARS offers the possibility to create the best combination for your job, in combination with the JG-2 and a EXP pole.



**JG-2** 5/20

140 178



**SH-32-EXP** 10

200



**UV-32E-1** 10/100



**CTR-32PRO-1** 10/100



**UVR-32PRO-1** 10/100



**CT-32E-1** 10/100

**UV-40**

5/20

EAN 4965280445001

Pruning saw with a blade of 400 mm for EXP poles + holster, red  
 UV-40-1

ARS  
MADE IN JAPAN  
JGH-90

EAN 4965280446152

**UV-34**

5/20

EAN 4965280444202

Pruning saw with a blade of 340 mm for EXP poles, red  
 UV-34-1

**JGH-90**

5/50

Hook for EXP poles, grey

A 156 182

**UV-47**

5/20

EAN 4965280446008

Pruning saw with a blade of 470 mm for EXP poles, red  
 UV-47-1

GEAR POWER

\*This is a Metallo product


**K-6770-A\***

5/20

Pruning element for EXP poles, red/black

C B 500 1254 K-6770-1





\*Type EXP-5.5  
Image: Type EXP-3.3



**JG-1** 10/100

Shank for UV-40-1 / UV-47-1, red

EAN 4965280446107



**JG-2** 10/100

Shank for UV-34-1, UV-32E-1, UVR-32PRO-1, CTR-32PRO-1, red

EAN 4965280446114



\* niet geschikt  
for EXP poles

**JG-3** 10/100

Shank for all saw blades (except UV-40-1), red

EAN 4965280446121



**JG-4** 10/100

Shank for all EXP poles, red

EAN 4965280446138



EAN 4965280445063



Holster for UV-40 and UV-47, red

535 274



**SUPER TURBOCUT**

**UV-40-1**

10/50

Saw blade of 400 mm for UV-40 including bark cutter



**160**

EAN 4965280445018



**SUPER TURBOCUT**

**UV-47-1**

10/50

Saw blade of 470 mm for UV-47



**185**

EAN 4965280446015



**SUPER TURBOCUT**

**UV-34-1**

10/50

Saw blade of 340 mm for UV-34



**135**

EAN 4965280440150



**SUPER TURBOCUT**

**UV-32E-1**

10/50

Saw blade of 320 mm for UV-32E en UV-32E-W



**125**

EAN 4965280444257



10/50

Saw blade of 320 mm for UVR-32PRO



**125**

EAN 4965280439192



10/50

Saw blade of 320 mm for CTR-32PRO



**125**

EAN 4965280439178





300L-BL

20/200

EAN 4965280658920

Harvesting shears 190 mm with straight blades, blue

B C 190 110




300L

20/200

EAN 4965280658005

Harvesting shears 190 mm with straight blades, red

B C 190 110



300SS-BL

20/200

EAN 4965280658937

Harvesting shears 170 mm with straight blades, blue

B C 170 100



300SS

20/200

EAN 4965280659002

Harvesting shears 170 mm with straight blades, red

B C 170 100

## Harvesting shears

The 300/310 series is lightweight and equipped with a non-slip handle, which is comfortable to hold. The marquench hardened blades make the shears ideal for harvesting fruit and vegetables and cutting flowers. They are also suitable for gardening in general.



310-D

20/200

EAN 4965280660909

Harvesting shears 160 mm with extra curved blades, red

B C 160 90



310-T

20/200

EAN 4965280447005

Harvesting shears 160 mm with straight blades, red

B C 160 95



310DX

20/200

EAN 4965280660206

Harvesting shears 170 mm with curved stainless steel blades, red

S 170 110



300L-DX

20/200

EAN 4965280658197

Harvesting shears 190 mm with straight stainless steel blades, red

S 190 110



**310-BL** EAN 4965280658944

Harvesting shears 160 mm with curved blades, blue

**B** **C** **160** **90**

20/200



**SE-45**

10/100

EAN 4965280752000



Harvesting shears 183 mm with straight stainless steel blades, red

**S** **183** **85** **SE-45-1**



**320DX-T**

20/200

EAN 4965280661203



Harvesting shears 155 mm with straight stainless steel blades, yellow

**S** **155** **55**



**320DX-M**

20/200

EAN 4965280662101



Harvesting shears 155 mm with curved stainless steel blades, yellow

**S** **155** **55**



**321DX-T**

20/200

EAN 4965280664310



Harvesting shears 167 mm with stainless steel blades, red

**B** **167** **40**

**ANGLED  
SCISSORS**



**321DX-M**

20/200

EAN 4965280664334



Harvesting shears 167 mm with angled stainless steel blades, red

**B** **167** **40**



330HN-R

5/50/100

Craft scissors 160 mm, red/black

H C 160 60

EAN 4965280665386



330HN-W



330HN-V



330HN-Y



330HN-P



330HN-G



340H-T

5/50/100

Craft scissors 190 mm, red

H C 190 70

EAN 4965280668004



350-T

5/50/100

Craft scissors 158 mm, red

H C 158 60

EAN 4965280670007



350-M

5/50/100

Craft scissors 158 mm, black

H C 158 60

EAN 4965280671004



360-M

10/50/100

Craft scissors 125 mm, green/blue

H C 125 30

EAN 4965280672001





NH-11

6/48

EAN 4965280854001

Aramid shears 110 mm with micro-serrated blades, red

H C 110 40



370

6/72

EAN 4965280672407

Industrial shears SUPER Craft 160 mm with micro-serrated blades, black

H C 160 70



380

5/50/100

EAN 4965280672506

Craft scissors 195 mm, red

H C 195 80



WITH WIRE CUT FUNCTION



390

10/100

EAN 4965280673008

Scissors heavy duty 160 mm, brown

H C 160 62



# Superior quality

CUTS THROUGH ARAMID  
AT LEAST 500,000  
TIMES



EAN 4965280853004

ARS526-A

6/50

Craft scissors 260 mm with micro-serrated blades, black

H C 260 240

ARS526-H

6/50

EAN 4965280673008

Aramid shears 260 mm with micro-serrated blades, black

H C 260 260



FN-6T-R-BP

EAN 4965280995025



Florist knife 151 mm with stainless steel blade, red/white

S 151 C 30 G 5/50



IK-10-R

EAN 4965280031518



Foldable pruning saws 220 mm with a fine tooth setting, red

N C 220 G 35



316

EAN 4965280665003



Wire cutter 170 mm, red

H C 170 G 105 G 10/100



FL-18

EAN 4965280995513



Florist scissors 180 mm with stainless steel blades, red

S 180 G 110 G 10/50



## Clean tools, healthy crop

To optimise the life of your product, it is important to clean each tool after use and store it dry. For cleaning pruning tools, we recommend Blade Cleaner GO-1 and GO-5. When pruning trees, shrubs and plants releases juices which usually form a persistent sticky layer on the blades of saws and shears. leave behind.

The Blade Cleaner GO-1 and GO-5 is a powerful cleaner to effectively remove such deposits from your pruning tools. Keeping your products clean makes your work easier and leaves a clean and beautiful wound on the pruned work.

Clean pruning tools reduce the risk of cross-contamination. Clean your product in 15 seconds!



**GO-1** Blade cleaner - 100ml

EAN 8715397010366

**GO-5** Blade cleaner - 500ml

EAN 8715397009766

Cleaning detergent for pruning tools



- Round L — Flat
- Round M — V-groove
- Round S —

**SD-95-PN**

Retractable diamond sharpener with 3 sharpening edges, red/black

220 67

GRIT #360  
& #600



**SD-100-BT**

Foldable diamond sharpener with two types of grit, red

230 66

EAN 4965280997159



**ARS9F-10**

Saw file 220 mm, wood

220 50

EAN 4965280445070



**SH-VSZ**

Universal leather holster

230 109

5/50

5/50



PRO011

Pen



PRO016

Notepad A6



PRO021

Mug



PRO001

Cap, red/black



PRO002

Beanie, black



PRO005-B-M

Medium

Polo-shirt, black

PRO005-B-L

Large

Polo-shirt, black

PRO005-B-XL

Extra large

Polo-shirt, black

PRO005-R-M

Medium

Polo-shirt, red

PRO005-R-L

Large

Polo-shirt, red

PRO005-R-XL

Extra large

Polo-shirt, red





PRO031

Flag (119 x 84 cm)



PRO056

Decal (30 x 16 cm)

PRO057

Decal (Ø 20 cm)

## Pruning set ARS-10-S

The **updated** ARS-10-S pruning set is composed of 2 top items from the range. The GR-17 is a folding saw with a (interchangeable) blade from 175 mm and a total length of 375 mm. The saw blade is hardened chromed steel, with the unique ARS teeth setting.

The VS-8Z is a professional pruning shear with an overall length of 200 mm and a cutting thickness of 25 mm. The extra hardened, chrome-plated and interchangeable upper and lower blades, guarantee optimum cutting quality for a long period of time.

This professional set is packaged in a representative display box with a transparent lid.

ARS-10-S

VS-8Z &amp; GR-17





**General terms and conditions of sale and delivery of Westparts B.V. in Wieringerwerf, The Netherlands**

For the private owned company with limited responsibility WESTPARTS B.V., by law established in Hoorn, with office space in 1771 SP Wieringerwerf, De Stek 7.

**Article 1. Validity of these terms and conditions**

These terms and conditions are valid for every offer and/or every agreement between Westparts B.V. hereinafter referred to as "Westparts", and customers who have been informed about the terms and conditions, as long as none of the parties have denied in writing the validity of the terms. If one or more articles are regarded as invalid, the remaining articles remain valid.

**Article 2. Offers and agreements**

1. All offers are without obligations, unless otherwise explicitly agreed upon in writing. Westparts has the right to withdraw any given offer within two working days after acceptance.
2. Agreements are valid only upon written confirmation from Westparts to the customer; this also concerns agreements made through an intermediary.

**Article 3. Delivery**

The customer is obligated to accept the products when these are delivered to him, or when the products are made available to him according to the agreement.

If the customer refuses to do so, or is late with passing on information or instructions essential for the delivery, the products will be stored at the customers risk. The customer will in this case be responsible for all possible costs in this connection, and at least the storage costs.

**Article 4. Delivery time**

Any dates quoted for delivery are approximate only, unless otherwise has been agreed upon. If otherwise has been agreed upon, and Westparts do not deliver on time, the customer is obligated to hold Westparts liable in writing.

**Article 5. Back orders / partial deliveries**

Westparts has the right to deliver partially. This does not apply if the partial delivery has no independent value. If the products are delivered partially, Westparts has the right to invoice each delivery independently.

**Article 6. Technical requirements etc.**

If the products delivered in the Netherlands are to be used outside the Netherlands, Westparts is responsible for that the delivered products are in accordance with the technical requirements and/or standards that are demanded by laws or regulations in the country where the products are to be used, if the information regarding use in another country has been given upon finalizing the contract. All other technical requirements the customer has regarding the to-be-delivered products and which differ from the normal standards, must be explicitly informed upon the finalizing of the contract.

**Article 7. Changes**

Westparts has the right to deliver products that differs from the products described in the sales contract:

If Westparts uses this right, and delivers a product that substantially differs from the product agreed upon, the customer has the right to annul the contract. The customer has the right to do so within 14 days after delivery date, or when he should have noticed the substantial differences.

**Article 8. Termination of the contract**

1. Westparts' claims towards the customer are immediately effective in case of the following circumstances:
  - if after finalizing the agreement, Westparts receives information that gives Westparts reason to believe that the customer will not fulfil his obligations
  - if Westparts has asked the customer for security for the order when finalizing the contract, and security has not been given or is unsatisfactory
2. In case of the above mentioned circumstances, Westparts has the right to delay further execution of the agreement, as well as annul the agreement. This does not effect Westparts' rights for compensation.
3. In case of unexpected circumstances having influence on persons and/or materials used or planned used by Westparts when carrying out the agreement, and if the unexpected circumstances are of such kind that it makes the execution impossible or utterly difficult, and/or leads to such costs that the carrying out of the agreement can not be reasonably defended, Westparts has the right to annul the agreement.

**Article 9. Warranties**

1. Westparts is not responsible for production faults concerning the delivered goods.
2. Westparts delivers goods with normal factory warranties and the production units are thus responsible in all cases.

**Article 10. Ownership**

1. Products delivered by Westparts remains property of Westparts until the customer has fulfilled all responsibilities regarding all final contracts and agreements with Westparts:
  - any in return commitments with reference to delivered products or products to be delivered
  - potential claims due to the customer not having fulfilled his commitments according to the agreement
2. Products delivered by Westparts falling under 10.1, can only be re-sold within a framework of a normal company management.
  - The customer does not hold any authority to pawn or to establish any rights on the products.
3. In case the customer does not live up to his responsibilities or there is a reasonable doubt regarding whether or not he will do so, Westparts has the right to remove or have removed products falling under article 10.1, from either the buyer or any third party holding the products in stock. The customer is legally bound to fully co-operate under penalty of a daily fine of 10% of the amount still to be paid
4. If a third party wants to establish any rights on the under the rights of ownership delivered goods, the buyer is legally bound to inform Westparts as soon as in fairness can be expected.
5. The customer is obliged to:
  - insure and to keep insured the under the rights of ownership delivered good against fire-, explosion-, and water damage and against theft and to hand over the insurance policy for inspection if requested to do so.
  - to pawn all claims from the customer to the insurers in connection to the under the rights of ownership delivered goods, to Westparts in the way that is prescribed in art. 3:239 BW.
  - to pawn the demands that the customer gets towards his buyers from reselling under the rights of ownership delivered goods by Westparts, to Westparts in the way that is prescribed in art. 3: 239 BW.
  - to mark all under the rights of ownership delivered goods as Westparts property.
  - to lend cooperation in other ways to all reasonable measures that Westparts will take safeguarding her rights of ownership in connection with the goods and which do not unreasonably harm the customer in the normal practise of his company.

**Article 11. Complaints**

1. The customer needs to (let) check the purchased goods up on delivery or as soon as possible after the delivery. The customer has to check if the delivered goods answers to the agreed upon, namely:
  - if the correct goods have been delivered
  - if the delivered goods answer to the agreed upon quantity
  - if the delivered goods meet the agreed upon quality requirements
  - if these are lacking - if they do meet the demands one may have for nominal use and/or commercial purpose
2. If visible faults or shortages are established the customer has to inform Westparts within 8 days after delivery.
3. Non visible faults have to be informed in writing within 8 days to Westparts, after the establishing of the faults, yet at the very latest within the given factory guarantee.
4. Also when the customer complains in time, his obligation to payment and the purchase of the ordered goods stays valid.
  - Goods can only be returned to Westparts after the foregoing permission in writing.

**Article 12. Price increase**

If Westparts has a special price agreement with a customer, Westparts nevertheless has the right to raise her prices, and has the right to charge the prices according to her valid pricelist upon delivery. If the price increase is more than 10%, the customer has the right to annul / disband the agreement.

**Article 13. Packaging**

The customer is obliged to return the transport packaging empty and undamaged within 30 days. If the customer does not meet his obligations with regards to the packaging, all extra costs to follow, will be for his own account. Such costs may be: costs due to late return shipment, costs of replacement, repair or cleaning.

**Article 14. Payment**

1. Unless otherwise expressly stated payment for the goods is due no later than 30 days after invoice date:
  - by legal currency to Westparts bv
  - by transferring the due amount to the informed account numbers in property of Westparts
2. If full payment is not made by the due date, the buyer will automatically be in omission, and will be charged with an extra 1% interest per month, based on the amount he has to pay.
3. In case of liquidation, bankruptcy, delay of payment from the customer, the obligations will be immediate effective.
4. Payment should be made without discounts or settlement.
5. Payment made by customer will first serve to settle all unpaid interest and costs, and then to settle the oldest invoice due, even if the customer states that payment is meant for a later invoice.

**Article 15. Collection costs**

1. If the customer is inadequately or neglectful in carrying out his obligations, all reasonable extra costs for collecting the payment will be for the customers account. The minimum costs will be:
 

-Up till € 2.950,-	15%
-From above amount and up till € 5.900,-	10%
-From above amount and up till € 14.750,-	8%
-From above amount and up till € 58.990,-	5%
-From above amount and up	3%
2. If Westparts can document higher costs made in connection with collecting the money, which were necessary and also reasonable, these costs will also be for the customers account.
  - All judicial and extrajudicial collection costs that Westparts makes, are all to be paid by customer.
  - This is applicable only in case of a legal process

**Article 16. Liability**

Westparts is to the customer only liable:

1. For damage due to shortcomings in the delivered goods concerns only the liability as settled in article 9 of these General Terms and Conditions.
2. Westparts is liable if damage has been caused by intention or crude guilt of Westparts or her executive inferiors.
3. The liability of Westparts is limited to the amount stated by the insurance, as far as the liability is covered by the insurance.
4. If the insurance in any case does not cover or does not proceed with payment, the liability will be limited to the invoice amount or if no invoice is existing the value of the agreed upon achievement.

**Article 17. Force Majeure**

1. Under force majeure is to be understood:
  - Circumstances that will unable the fulfilment of the agreement, which are not ascribable to Westparts. Among these the following will be included (if and as far as these circumstances make the fulfilment impossible or unreasonably complicated): strikes in other companies than Westparts, wild strikes or political strikes, general shortage or lack of necessary raw materials and other goods or services that are necessary to reach the agreed upon performance; not foreseen stagnation in connection with suppliers or other third parties who Westparts is depending on and general problems in transport.
2. Westparts also has the right to refer to force majeure if circumstances that unable the fulfilment occur after Westparts should have met her obligations.
3. During the period of force majeure the deliveries and other obligations of Westparts will be postponed. If this period due to force majeure which in Westparts is not able to meet her obligations, lasts longer than 3 months, both parties are entitled to annul the agreement, without any obligations with regards to compensation.
4. If Westparts in the beginning of the period of force majeure already partially has fulfilled her obligations, or is able to fulfil her obligations only partially, Westparts has the right to invoice the partially delivered goods, or the goods that are to be partially delivered, and is the customer obligated to regard this invoice as a separate contract. This does not apply if the partial delivery has no independent value.

**Article 18. Disputes**

As a deviation from the statutory rules for the authorities of the civil court, all disputes between the customer and Westparts, as long as the court has the necessary authorities, will be settled by the Civil Court in Alkmaar. Nevertheless Westparts has the authority to summon the buyer to an according to the law or the applicable international treaty qualified court.

**Article 19. Applicable law**

All relationships between Westparts and the customer will be governed by Dutch law.

**Article 20. Changes in the General terms and conditions**

Westparts has the right to change the General terms and conditions. The changes will come into force on the announced time of commencement. Westparts will send the renewed terms and conditions to the customers in time. If no time of commencement has been announced to the customer, the changes will come into force as soon as the customer has received the announcement.

**Article 21. Translations**

In case of conflict between a translation and the Dutch version of these terms and conditions, the Dutch text shall prevail.

The above terms and conditions have been deposited with the Chamber of Commerce at Alkmaar under number 36040554.1781



[www.arstools.eu](http://www.arstools.eu)

**ARS Tools**

De Stek 7  
1771 SP, Wieringerwerf  
The Netherlands

**Contact us**

+31 (0)227 60 15 00  
[sales@arstools.eu](mailto:sales@arstools.eu)



Find your nearest  
ARS Tools dealer at

[dealers.arstools.eu](http://dealers.arstools.eu)